ANNUAL INDEX

VOLUME 14
1979

AUTHORS

A

ACKMAN, R.G. See W.N. Ratnayake.
ADACHI, S. See K. Suyama.
ADLOF, R.O. See E.A. Emken.
AKINO, T. See G. Okano.
ALAUPOVIC, P. See A. Suenram.
ALBERT, D.H., R.K. Rhamy, and J.G. Coniglio, Desaturation of Eicosa-11,14-dienoic acid in human testes, 498.
ALEXANDER, J.C. See R.P. Bird.
AMMON, H.V., P.J. Thomas, and S.F. Phillipis, Effect of lecithin on jejunal absorption of micellar lipids in man and on their monomer activity in vitro. 395.
APRAHAMIAN, S., Arslanian, M.J., and J.K. Stoops, Effect of estrogen on fatty acid synthetase in the chicken oviduct and liver, 1015.
ARSLANIAN, M.J. See S. Aprahamian.
ASAKAWA, T., and S. Matsushita, Thiobarbituric acid test for detecting lipid peroxides, 401.
ASHMAN, P. See S. Hulley.
ATWAL, A.S., N.A.M. Eskin, and H.M. Henderson, Isolation and characterization of phopholipase D from fababeans, 913.
AYENGAR, N.K.N. See H. Brockerhoff.

B

BABCOCK, R. See J. Tinoco.
BAILEY, G.F. See I.R. Hunter.
BALDUZZI, A.M. See C. Lintas.
BARAK, A.J., and D.J. Tuma, Determination of free choline and phosphorylcholine in rat liver, 304.
A simplified procedure for the determination of betaine in liver, 860.
M.F. Sorrell, and D.J. Tuma, Effect of serum lipoproteins of bile-obstructed rats on 3-hydroxy-3-methylglutaryl Coenzyme A reductase activity in perfused rat liver, 883.
BARLOW, S.M. See J. Opstvedt.
BARTOV, I. See P. Budowski.
BEAN, G.A. See W.D. Nes.
BECKMAN, J.K., and J.G. Coniglio, A Comparative study of the lipid composition of isolated rat sertoli and germinal cells, 262.
BEG, M.N., F.A. Siddiqi, A. Husain, and B. Islam, Preparation of cupric palmitate membrane, its characterization and evaluation of thermodynamically effective fixed charge density, 682.
BELL, F.P., M. Makowske, D. Schneider, and C.S. Patt, Inhibition of sterologenesis in brain and liver of fetal and suckling rats from dams fed DI-2-ethylhexyl phthalate plasticizer, 372.
BERENSON, G.S., S.R. Srinivasan, R.R. Frerichs, and L.S. Webber, Serum high density lipoprotein and its relationship to cardiovascular disease risk factor variables in children—The Bogalusa heart study, 91.
See S.R. Srinivasan.
BERMAN, M. See E.J. Schaefer.
BERNARDINI, M.P. See C. Lintas.
BESSLER, T.R. See E.N. Frankel.
BEZARD, J. See P. Clouet.
BIRD, R.P., and J.C. Alexander, Fatty acid composition of heart cells exposed to thermally oxidized fats, 836.
BISGAIER, C.L., C.R. Treadwell, and G.V. Vahoumy, Activation of sterol ester hydrolase of bovine corpus luteum by N^6, $O^{2'}$-dibutyryl cyclic adenosine $3':5'$-phosphate, 1.
BITMAN, J., J.R. Weyant, D.L. Wood, and T.R. Wrenn, Stimulation of lipid absorption in young rats by cholesterol: Early time changes and effects on pentobarbitol sleeping time, 676.
BLAKER, W.D., and E.A. Moscatelli, The effect of hibernation on the positional distribution of ethanolamineglycerophospholipid fatty acids in hamster brain membranes, 1027.
BOND, R.F., A. Zepp, L.C. Peissner, and E.S. Manning, Correlation between skeletal muscle free fatty acid extraction and vascular decompensation during hemorrhagic hypotension, 842.
BONTA, I.L. See M.J. Parnham.
BORIES, G.F. See J.E. Tulliez.
BOWDEN, J.P., G.M. Muschik, and J.C. Kawalek, The metabolic fate of cholesterol-5-α,6-α-epoxide in vivo, 623.
BRADLEY, D.D. See R.M. Krauss.
BRENNER, R.R. See A.I. Leikin.
See V.J. Moreno.
BRENNER, T. See E. Shafrir.
BREWER, H.B., Jr. See E.J. Schaefer.
BROCKERHOFF, H., and N.K.N. Ayengar, Improved synthesis of choline phospholipids, 88.
BROT-LAROCHE, E. See C. Lutton.
BRUNETTI, M., A. Gaiti, and G. Porcellati, Synthesis of phosphatidylcholine and phosphatidylethanolamine at different ages in the rat brain in vitro. 925.
BRYANT, R.W. See U.H. Do.
BUDOWSKI, P., I. Bartov, Y. Dror, and E.N. Frankel, Lipid oxidation products and chick nutritional encephalopathy, 768.
See D. Sklan.
BURNS, C.P., S.-P. L. Wei, D.G. Luttenegger, and A.A. Spector, Fatty acid positonal specificity in phospholipids of L1210 leukemia and normal mouse lymphocytes, 144.
BUSE, M.G. See L.W. Stilway.

C

CACCIAPUOTI, A.F., W.S. Wegener, and S.A. Morse, Phospholipid metabolism in *Neisseria gonorrhoeae:* Phospholipid hydrolysis in nongrowing cells. 718.
CALDER, A.G. See A. Smith.
CARROLL, K.K., and G.J. Hopkins, Dietary polyunsaturated fat versus saturated fat in relation to mammary carcinogenesis, 155.
See D.C.K. Roberts.
CHARTRAND, L. See C.C. Roy.
CHOW, S.L., and D. Hollander, Linoleic acid absorption in the unanesthetized rat: Mechanism of transport and influence of luminal factors on absorption 378.
CHRISTIANSEN, E.N., M.S. Thomassen, R.Z. Christiansen, H. Osmundsen, and K.R. Norum, Metabolism of erucic acid in perfused rat liver: Increased chain shortening after feeding partially hydrogenated marine oil and rapeseed oil, 829.
See R.Z. Christiansen.
See M.S. Thomassen.
CHRISTIANSEN R.Z., J. Norseth, and E.N. Christiansen, The effect of clofibrate on heart and plasma lipids in rats fed a diet containing rapeseed oil, 614.

See E.N. Christiansen.
CHUMBLER, F. See R. Wood.
CLARK, R.M. See R.G. Jensen.
CLOUET, P., and J. Bezard, In vitro conversion of erucic acid by microsomes and mitochondria from liver, kidneys, and heart of rats, 268.
COLLARD, R.S., and W.A. Pryor, A specific spectrophotometric determination of long chain nitro compounds and its application to NO_2-initiated lipid autoxidation, 748.
CONIGLIO, J.G. See D.H. Albert.
See J.K. Beckman.
COOK, H.W., Differential alteration of Δ-9 and Δ-6 desaturation of fatty acids in rat brain preparations in vitro, 763.
CORNER, A.H. See J.K.G. Kramer.
CORNWELL, D.G., J.J. Huttner, G.E. Milo, R.V. Panganamala, H.M. Sharma, and J.C. Geer, Polyunsaturated fatty acids, vitamin E, and proliferation of aortic smooth muscle cells, 194.
See G.S. Patil.
CRAWFORD, C.G., and M.A. Wells, Fatty Acid and molecular species composition of rat brain phosphatidylcholine and ethanolamine from birth to weaning, 757.
CRAWFORD, M.A. See A.G. Hassam.
CURRIE, R. See K.M. Patel.

D

DALFERES, E.R., Jr. See S.R. Srinivasan.
DeGROOT, J. See P.F. Hall.
See J.A. Morrison.
DEJARLAIS, W.J. See E.A. Emken.
DE LA FARGE, F. See M. Lagente.
DeMORENO, J.E.A. See V.J. Moreno.
DENTON, J.P. See A.G. Hassam.
DER, O.M. See G.Y. Sun.
DEUTCHLER, J.T. See W.B. Im.
DHOPESHWARKAR, G.A., and C. Subramanian, Lipogenesis in the developing brain: Utilization of radioactive leucine, isoleucine octanoic acid and β-hydroxybutyric acid, 47.
See R.I. Karney.
DILLARD, C.J., and A.L. Tappel, Volatile hydrocarbon and carbynyl products of lipid peroxidation: A comparison of pentane, ethane, hexanal, and acetone as in vivo indices, 989.
DiMUCCIO, A. See C. Lintas.
DO, U.H., M.G. Sujdaram, S. Ramachandran, and R.W. Bryant, Synthesis and characterization of [1-^{13}C]- and d_8-arachidonic acid, 819.
DOUGHERTY, R.M. See E.A. Emken.
DOWNER, R.G.H. See A.G.D. Hoffman.
DROR, Y. See P. Budowski.
DUCK-CHONG, C.G., A rapid sensitive method for determining phospholipid phosphorus involving digestion with magnesium nitrate, 492.
DUNAGAN, T.T. See W. Smith.
DUNCAN, W.R.H. See A. Smith.
DUNHAM, E.W. See G. Graff.
DU PLESSIS, L.M., and N. Grobbelaar, Isomerization of the double bonds of a conjugated fatty acid during β-oxidation, 943.
DUPONT, J. See M.M. Mathias.
DUTHIE, I.F. See J. Opstvedt.
DUTILH, C.E., E. Haddeman, G.H. Jouvenaz, F. Ten Hoor, and D.H. Nugteren, Study of the two pathways for arachidonate oxygen in blood platelets, 241.
DUTTON, H.J. See E.A. Emken.

E

EDWARDS, B.K. See J.A. Morrison.
EISELE, T.A., R.S. Parker, J.K. Yoss, J.E. Nixon, N.E. Pawlowski, and R.O. Sinnhuber, Incorporation of label from [9,10-methylene-^{14}C] sterculic acid in rainbow trout, *Salmo gairdneri,* 523.
ELENA de TOMAS, M. See O. Mercuri.
EMKEN, E.A., W.K. Rohwedder, H.J. Dutton, W.J. Dejarlais, R.O. Adlof, J.F. Mackin, R.M. Dougherty, and J.M. Iancono, Incorporation of deuterium-labeled *cis-* and *trans*-9-octadecenoic acids in humans: Plasma, Erythrocytes, and platelet phospholipids, 547.
See H. Rakoff.
ENDEMANN, G. See J. Tinoco.
ENDO, A. See M. Kuroda.
ESKIN, N.A.M. See A.S. Atwal.

F

FALLANI, A., and S. Ruggieri, Lipid composition of SV40-induced transplantable hamster tumor, 752.
See S. Ruggieri.
FENG, P., and D.C. Zimmerman, Substrate specificity of flax hydroperoxide isomerase, 710.
FERRETTI, A., and V.P. Flanagan, Simultaneous mass spectrometric measurement of prostaglandins E_1(PGE_1) and PGE_2 with a deuterated internal standard, 483.
FERRICK, T.J. See L.L. Slakey.
FEY, M.B. See R.G. Jensen.
FIELD, R.B., C.E. Holmlund, and N.F. Whittaker, The effects of the hypocholesteremic compound 3β-(β-dimethylaminoethoxy)-androst-5-en-17-one on the sterol and steryl ester composition of *Saccharomyces cervisiae,* 741.
FLANAGAN, V.P. See A. Ferretti.
FOLKERSMA, B. See C.M. Lok.
FOSTER, D.M. See E.J. Schaefer.
FOURNIER, L.A. See C.C. Roy.
FRANKEL, E.N., and W.E. Neff, Analysis of autoxidized fats by gas chromatography/mass spectrometry. IV. Soybean oil methyl esters, 39.
and T.R. Bessler, Gas chromatography/mass spectroscopy of autoxidized fats. V. Photosynthesized oxidation, 961.
See P. Budowski.
FRANTZ, I.D. Jr. See P.M. Kris-Etherton.
FRERICHS, R.R., See G.S. Berenson.
FUJINO, Y., and M. Ohnishi, Characterization and composition of sterols in the free and esterified sterol fractions of *Aspergillus oryzae,* 663.

G

GAITI, A. See M. Brunetti.
GARDNER, H.W., Stereospecificity of linoleic acid hydroperoxide isomerase from corn germ, 208.
and R. Kleiman, Lack of regioselectivity in formation of oxohydroxyoctadecenoic acids from the 9- or 13-hydroperoxide of linoleic acid, 848.
GAVEN-COGNEVILLE, A.M., and E. Swierczewski, Studies on cell proliferation in inguinal adipose tissue during early development in the rat, 669.
GEER, J.C. See D.G. Cornwell.
GERRIOR, S.A. See R.G. Jensen.
GLUECK, C.J. See J.A. Morrison.
GOLDBERG, N.D. See G. Graff.
GOTTO, A.M., Jr. See R.G. Jensen.
See H.J. Pownall.
GRAFF, G., E.W. Dunham, T.P. Krick, and N.D. Goldberg, Identification of 15-keto-9,11-peroxidoprosta-5,13-dienoic acid as a hematin-catalyzed decomposition product of 15-hydroperoxy-9,11-peroxidoprosta-5,13-dienoic acid, 334.
J.H. Stephenson, R.R. Winget, and N.D. Goldberg, Oxidative activation of guanylate cyclase by prostaglandin endoperoxides, 212.
GROBBELAAR, N. See L.M. Du Plessis.
GUPTA, L.M. See M.R. Pollard.
GUTCHER, G.R., R.D. Zachman, and F.H.C. Tsao, Analysis of subcellular phosphatidyl choline in developing rabbit lung, 25.

H

HADDEMAN, E. See C.E. Dutilh.
HALL, P.F., M. Watanuki, J. DeGroot, and G. Rouser, Composition of lipids bound to pure cytochrome P-450 of cholesterol side-chain cleavage enzyme from bovine adrenocortical mitochondria, 148.
HALLMAN, M., and P. Kankare, Mitochondrial and microsomal phospholipids phosphorus metabolism

during postnatal growth in rat heart and liver, 435.
HAMILTON, J.G. See L.D. Tobias.
HANSEN, P. See J. Opstvedt.
HARRIS, H.B. See G.C. Ness.
HARRIS, R.A. See S.A. McCune.
HART, M. See K.J. Stone.
HASKELL, W.L. See P.D. Wood.
HAWKE, J.C. See I.M. Morrison.
HASSAM, A.G., A.L. Willis, J.P. Denton, P. Stevens, and M.A. Crawford, The effect of essential fatty acid-deficient diet on the levels of prostaglandins and their fatty acid precursors in the rabbit brain, 78.
HAYASHI, K. See T. Takagi.
HEFTMANN, E. See I.R. Hunter.
HEISS, G. See B.M. Rifkind.
HELLWEDGE, D.M. See R.M. McKenzie.
HENDERSON, H.M. See A.S. Atwal.
HENDRICKS, J.D. See T.C. Yu.
HINCENBERGS, I. See J. Tinoco.
HOFFMAN, A.G.D., and R.G.H. Downer, End product specificity of triacylglycerol lipases from intestine, fat body, muscle and haemolymph of the American cockroach *Perplaneta americana L*, 893.
HOLFELD, N. See J.K.G. Kramer.
HOLLANDER, D. See S.L. Chow.
HØLMER, G. See C.E. Høy.
HOLMLUND, C.E. See R.B. Field.
HOLUB, B.J., and J. Piekarski, The formation of phosphatidylonsitol by acylation of 2-acyl-*sn*-glycero-3-phosphorylinositol in rat liver microsomes, 529.
Substrate selectivity of diacylglycerol kinase in guinea pig brain, 309.
See N.J.H. Mercer.
HONJOH, H. See K. Suyama.
HOOK, G.E.R. See J.W. Spalding.
HOPKINS, G.J. See K.K. Carroll.
HØY, C.E., and G. Hølmer, Incorporation of *cis*-and *trans*-octadecenoic acids into the membranes of rat liver mitochondria, 727.
HSUEH, W., and P. Needleman, Cardiac and renal lipases and prostaglandin biosynthesis, 236.
HUFF, M.W. See D.C.K. Roberts.
HULAN, H.W. See J.K.G. Kramer.
HULLEY, S., P. Ashman, L. Kuller, N. Lasser, and R. Sherwin, HDL-cholesterol levels in the multiple risk factor intervention trial (MRFIT) by the MRFIT research group, 119.
HUNTER, I.R., M.K. Walden, G.F. Bailey, and E. Heftmann, High-pressure liquid chromatography and ultraviolet spectrometry of ketonic C_{27} sterols, 687.
HUSAIN, A. See M.N. Beg.
HUTTNER, J.J. See D.G. Cornwell.

I

IANCONO, J.M. See E.A. Emken.
ILINOV, P.P., Argentation chromatography on silver sulfamate-impregnated silica gel layers, 598.
IM, W.B., J.T. Deutchler, and A.A. Spector, Effects of membrane fatty acid composition on sodium-independent phenylalanine transport in Ehrlich cells, 1003.
ISLAM, B. See M.N. Beg.
ITABASHI, Y. See T. Takagi.
ITARTE, H. See O. Mercuri.

J

JACKSON, R.L. See H.J. Pownall.
JAFFE, R.M. See R.E. Pitas.
JAMDAR, S.C., Age-related changes in glycerolipid formation in lean and obese Zucker rats, 463.
JENKINS, L.L. See E.J. Schaefer.
JENSEN, R.G., R.M. Clark, S.A. Gerior, M.B. Fey, and A.M. Gotto Jr., Cholesteryl ester and triacylglycerol fatty acids in Type V hyperlipidemia, 691.
JIGAMI, Y., O Suziki, and S. Nakasato, Comparison of lipid composition of *Candida guilliermondii* grown on glucose, ethanol, and methanol as the sole carbon source, 937.
JOHANSSON, A., The content and composition of sterols and sterol esters in sunflower and poppy seed oils, 285.
JOHNSON, R.G., M.A. Lugg, and T.E. Nicholas, Uptake of [^{14}C] choline and incorporation into lung phospholipid by the isolated perfused rat lung, 555.
JOSHI, V.C. See M.R. Prasad.
JOUVENAZ, G.H. See C.E. Dutilh.

K

KANKARE, P. See M. Hallman.
KARLI, J.N. See G.M. Levis.
KARNEY, R.I., and G.A. Dhopeshwarkar, *Trans* fatty acids: Positional specificity in brain lecithin, 257.
KATES, M. See E.L. Pugh.
KAWALEK, J.C. See J.P. Bowden.
KELLEY, K.A. See J.A. Morrison.
KERNOFF, P.B.A. See K.J. Stone.
KHOURY, P. See J.A. Morrison.
KINSELLA, J.E., P.H. Yu, and J.B. Mai, Kidney lipids: Changes caused by dietary 9-*trans*,12-*trans*-octadecadienoate, 1032.
KIRTLAND, S.J. See K.J. Stone.
KLEIMAN, R. See H.W. Gardner.
See K. Payne-Wahl.
See R.D. Plattner.
See G.F. Spencer.
KRAMER, J.K.G., H.W. Hulan, A.H. Corner, B.K. Thompson, N. Holfeld, and J.H.L. Mills, Cardiopathogenicity of soybean oil and tower rapeseed oil triglycerides when fed to male rats, 773.
KRAUSS, R.M., F.T. Lindgren, J. Wingerd, D.D. Bradley, and S. Rancharan, Effects of estrogens and progestins on high density lipoproteins, 113.
KRICK, T.P. See G. Graff.
KRIS-ETHERTON, P.M., and I.D. Frantz Jr., Inhibition of cholesterol synthesis in mammary tissue, lung, and kidney following cholesterol feeding in the lactating rat, 907.
KULLER, L. See S. Hulley.
KUMMEROW, F.A. See L.D. Lawson.
KURODA, M., Y. Tsujita, K. Tanzawa, and A. Endo, Hypolipidemic effects in monkeys of ML-236B, a competitive inhibitor of 3- ,droxy-3-methylglutaryl coenzyme A reductase, 585.

L

LAGENTE, M., F. De La Farge, and P. Valdiguie, The influence of phthalate esters on human plasma lecithin/cholesterol acyltransferase, 533.
LANGMARK, F.T. See J. Opstvedt.
LARKIN, E.C. See G.A. Rao.
LASSER, N. See S. Hulley.
LAWSON, L.D., and F.A. Kummerow, β-Oxidation of the Coenzyme A esters of vaccenic, elaidic, and petroselaidic acids by rat heart mitochondria, 501.
LEFEBVRE, D. See C.C. Roy.
LEIKIN, A.I., A.M. Nervi, and R.R. Brenner, Lipid binding properties of a factor necessary for linoleic acid desaturation, 1021.
LEPAGE, G. See C.C. Roy.
LEVIS, G.M., J.N. Karli, and S.D. Moulopoulos, Isolation and partial characterization of the neutral glycosphingolipids and gangliosides of the human heart, 9.
LEVY, R.I. See E.J. Schaefer.
LINDGREN, F.T. See R.M. Krauss.
See E.J. Schaefer.
LINTAS, C., A.M. Balduzzi, M.P. Bernardini, and A. DiMuccio, Distribution of hydrocarbons in bovine tissues, 298.
LITCHFIELD, C., J. Tyszkiewicz, E.E. Marcantonio, and G. Noto, 15,18,21,24-Triacontatetraenoic and 15,18,21,24,27-triacontapentaenoic acids: New C_{30} fatty acids from the marine sponge *Cliona celata*, 619.
LOK, C.M., and B. Folkersma, Composition of wax esters and triacylglycerols in the melon and blubber fats of a young Sowerby's whale *Mesoplodon bidens*, 872.
LOUGH, A.K. See A. Smith.
LUGG, M.A. See R.G. Johnson.

LUTTENEGGER, D.G. See C.P. Burns.
LUTTON, C., and E. Brot-Laroche, Biliary cholesterol absorption in normal and L-thyroxin fed rats, 441.

M

MACKIN, J.F. See E.A. Emken.
MAHLEY, R.W. See R.E. Pitas.
MAKOWSKE, M. See F.P. Bell.
MANDEL, P. See J. Robert.
MANNING, E.S. See R.F. Bond.
MAPES, J.P., and R. Wood, Correlation in the proportion of oleic to vaccenic acid of plasma phospholipids with the early stages of hepatoma 7288CTC growth, 70.
MARCANTONIO, E.E. See C. Litchfield.
MATHIAS, M.M., and J. Dupont, The relationship of dietary fats to prostaglandin biosynthesis, 247.
MATOCHA, M. See R. Wood.
MATSUSHITA, S. See T. Asakawa.
McCONATHY, W.J. See A. Suenram.
McCUNE, S.A., T. Nomura, and R.A. Harris, Inhibition of hepatic lipogenesis by 2-tetradecylglycidic acid, 880.
McGREGOR, M.L. See R.M. McKenzie.
McKENZIE, R.M., D.M. Hellwege, M.L. McGregor, and E.C. Nelson, Oxidation and isomerization of retinoic acid by iodine and light: A novel preparation of all-*trans*- and 13-*cis*-4-oxoretinoic acid, 714.
McKEON, T. See M.R. Pollard.
McLEAN, J.G. See A.J. Sinclair.
McNicol, G.P. See K.J. Stone.
MEAD, J.F. See A. Sevanian.
See G.S. Wu.
MEDWADOWSKI, B. See J. Tinoco.
MEEDLEMAN, P. See W. Hsueh.
MELLIES, M.J. See J.A. Morrison.
MERCER, N.J.H., and B.J. Holub, Response of free and esterified plasma cholesterol levels in the Mongolian gerbil to the fatty acid composition of dietary lipid, 1009.
MERCURIL, O., M. Elena de Tomas, and H. Itarte, Prenatal protein depletion and Δ-9, Δ-6 and Δ-5 desaturases in the rat, 822.
MILJANICH, P. See J. Tinoco.
MILLER, D.M. See W. Smith.
MILLER, J.P. See G.C. Ness.
MILLS, J.H.L. See J.K.G. Kramer.
MILO, G.E. See D.G. Cornwell.
MOFFLER, M.H. See G.C. Ness.
MONGER, E.A. See A.J. Sinclair.
MORENO, V.J., J.E.A. de Moreno, and R.R. Brenner, Biosynthesis of unsaturated fatty acids in the diatom *Phaeodactylum tricornutum*, 15.
Fatty acid metabolism in the calanoid copepod *Paracalanus* parvus: 1. Polyunsaturated fatty acids, 313.
Fatty acid metabolism of the calanoid copepod *Paracalanus* parvus: 2. Palmitate, stearate, oleate and acetate, 318.
MORRISETT, J.D. See K.M. Patel.
See H.J. Pownall.
MORRISON, I.M., and J.C. Hawke, Influence of elevated levels of linoleic acid on the thermal properties of bovine milk fat, 391.
MORRISON, J.A., I. deGroot, K.A. Kelly, B.K. Edwards, M.J. Mellies, S. Tillett, P. Khoury, and C. J. Glueck, High and low density lipoprotein cholesterol levels in hypercholesterolemic school children, 99.
MORSE, S.A. See A.F. Cacciapuoti.
MOSCATELLI, E.A. See W.D. Blaker.
MOULOPOULOS, S.D. See G.M. Levis.
MUSCHIK, G.M. See J.P. Bowden.

N

NAKASATO, S. See Y. Jigami.
NEFF, W.E. See E.N. Frankel.
NELSON, E.C. See R.M. McKenzie.
NELSON, G.J. See R.E. Pitas.
NERVI, A.M. See A.I. Leikin.
NES, W.D., G.W. Patterson, and G.A. Bean, The effect of steroids and their solubilizing agents on mycelial growth of *Phytophthora cactorum*, 458.
M.A. Southhall, and J.L. Stanley, Sterols and fatty acids of *Epifagus virginiana*, a nonphotosynthetic angiosperm. 274.
J.P. Miller, M.H. Moffler, L.S. Woods, and H.B. Harris, Perinatal development of 3-hydroxy-3-methylglutaryl coenzyme A reductase activity in rat lung, liver and brain, 447.
See L.L. Slakey.
NICHOLAS, T.E. See R.G. Johnson.
NIELSEN, H., Reaction between peroxidized phospholipid and protein: II. Molecular weight and phosphorus content of albumin after reaction with peroxidized cardiolipin, 900.
NISHIDA, T. See U. Piran.
NIXON, J.R. See N.A. Porter.
NIXON, J.E. See T.A. Eisele.
NOMURA, T. See S.A. McCune.
NORSETH, J. See R.Z. Christiansen.
NORUM, K.R. See E.N. Christiansen.
See M.S. Thomassen.
NOTO, G. See C. Litchfield.
NUGTEREN, D.H. See C.E. Dutilh.

O

O'DOHERTY, P.J.A., 1,25-Dihydroxyvitamin D_3 increases the activity of the intestinal phosphatidylcholine deacylation-reacylation cycle, 75.
The importance of the steric configuration of lysophosphatidylcholine in the lymphatic transport of fat, 84.
OEHLSCHLAGER, A.C. See A.M. Pierce.
OHASHI, M., A comparison of the ganglioside distributions of fat tissues in various animals by two-dimensional thin layer chromatography, 52.
OHNISHI, M. See Y. Fujino.
OKANO, G., and T. Akino, Variations in the molecular species of lung phosphatidylglycerol, 541.
O'KELLY, J.C., The lipid composition of erythrocytes in European cattle and buffalo steers, 983.
OO, K.C., and P.K. Stumpf, Fatty acid biosynthesis in the developing endosperm of *Cocos nucifera*, 132.
OPSTVEDT, J., H. Svaar, P. Hansen, J. Pettersen, F.T. Langmark, S.M. Barlow, and I.F. Duthie, Comparison of lipid status in the hearts of piglets and rats on short term feeding of marine oils and rapeseed oils, 356.
OSMUNDSEN, H. See E.N. Christiansen.

P

PANGANAMALA, R.V. See D.G. Cornwell.
PARKER, R.S. See T.A. Eisele.
PARNHAM, M.J., J.E. Vincent, F.J. Zijlstra, and I.L. Bonta, The use of essential fatty acid deficient rats to study pathophysiological roles of prostaglandins. Comparison of prostaglandin production with some parameters of deficiency, 407.
PATEL, K.M., J.D. Morrisett, and J.T. Sparrow, The conversion of phosphatidylethanolamine into phosphatidylcholine labeled in the choline group using methyl iodide, 18-crown-6 and potassium carbonate, 596.
L.A. Sklar, R. Currie, H.J. Pownall, J.D. Morrisett, and T.J. Sparrow, Synthesis of saturated, unsaturated, spin-labeled, and fluorescent cholesterol using fatty acid anhydride and 4-pyrrolidinopyridine, 816.
PATIL, G.S., H. Sprecher, and D.G. Cornwell, Correlation between surface area and the rate of enzymatic desaturation with methyl branched 8,11-14-eicosatrienoic acid, 826.
PATT, C.S. See F.P. Bell.
PATTERSON, G.W. See W.D. Nes.
PAWLOWSKI, N.E. See T.A. Eisele.
PAYNE-WAHL, K., R.D. Plattner, G.F. Spencer, and R. Kleiman, Separation of tetra-,penta-, and hexaacyl triglycerides by high performance liquid chromatography, 601.
See R.D. Plattner.
See G.F. Spencer.
PEISSNER, L.C. See R.F. Bond.

PETTERSEN, J. See J. Opstvedt.
PHILLIPIS, S.F. See H.V. Ammon.
PHILLIPS, F.C., and O.S. Privett, Extraction and analysis of lipids from immature soybeans, 949.
A simplified procedure for the quantitative extraction of lipids from brain tissue, 590.
PIEKARSKI, J. See B.J. Holub.
PIERCE, A.M., H.D. Pierce Jr., A.M. Unrau, and A.C. Oehlschager, Identification of ergosta-9,24(28)-dien-3-β-6-α-diol in A $\Delta^8 \rightarrow \Delta^7$ sterol isomerase-blocked yeast mutant, 876.
PIERCE, H.D. Jr. See A.M. Pierce.
PIRAN, U., and T. Nishida, Utilization of various sterols by lecithin-cholesterol acyltransferase as acyl acceptors, 478.
PITAS, R.E., G.J. Nelson, R.M. Jaffe, and R.W. Mahley, Effects of diets high in saturated fat and cholesterol on the lipid composition of canine platelets, 469.
PLATTNER, R.D., and K. Payne-Wahl, Separation of triglycerides by chain length and degree of unsaturation on silica HPLC columns, 152.
L.W. Tjarks, and R. Kleiman, Hydroxy acids and estolide triglycerides of *Heliophila amplexicaulis L.f.* seed oil, 576.
See K. Payne-Wahl.
See G.F. Spencer.
PLEET, S. See A. Vost.
POCOCK, D.M.E. See A. Vost.
POLLARD, M.R., T. McKeon, L.M. Gupta, P.K. Stumpf, Studies on biosynthesis of waxes by developing jojoba seed. II. The demonstration of wax biosynthesis by cell-free homogenates, 651.
PORCELLATI, G. See M. Brunetti.
PORTER, J.W. See L.L. Slakey.
PORTER, N.A., R.A. Wolf, and J.R. Nixon, Separation and purification of lecithins by high pressure liquid chromatography, 20.
POWNALL, H.J., J.D. Morrisett, J.T. Sparrow, L.C. Smith, J. Shepherd, R.L. Jackson, and A.M. Gotto Jr., A Review of the unique features of HDL apoproteins, 428.
See K.M. Patel.
PRASAD, M.R., and V.C. Joshi, Stearoyl-coenzyme A desaturase activity in Novikoff hepatome, 413.
PRIVETT, O.S. See F.C. Phillips.
PRYOR, W.A. See R.S. Collard.
PUGH, E.L., and M. Kates, Membrane-bound phospholipid desaturases, 159.

Q

QUARFORDT, S.H. See S.F. Robinson.

R

RADHAKRISHNAMURTHY, B. See S.R. Srinivasan.
RAKOFF, H., D. Weisleder, and E.A. Emken, ^{13}C Nuclear magnetic resonance of mono- and dihydroxy-saturated and unsaturated fatty methyl esters, 81.
RAMACHANDRAN, S. See U.H. Do.
RAMCHARAN, S. See R.M. Krauss.
RATNAYAKE, W.N., and R.G. Ackman, Fatty alcohols in capelin, herring and mackerel oils and muscle lipids: I. Fatty alcohol details linking dietary copepod fat with certain fish depot fats. 795.
Fatty alcohols in capelin, herring and mackerel oils and muscle lipids: II. A comparison of fatty acids from wax esters with those of triglycerides, 804.
Identification of novel octadecadienoic fatty acids in the seaweed *Cladophora rupestris* through oxidative ozonolysis of the alcohols prepared from the acids, 580.
REBEL, G. See J. Robert.
REDINGER, R.N., The effects of phenobarbital on biliary lipids metabolism in cholesterol gallstone subjects, 277.
RHAMY, R.K. See D.H. Albert.
RIFKIND, B.M., I. Tamir, G. Heiss, R.B. Wallace, and H.A. Tyroler, Distribution of high density and other lipoproteins, 99.
ROBERT, J., P. Mandel, and G. Rebel, Membrane lipids in bromodeoxyuridine-differentiated astroglial cells in culture, 852.
ROBERTS, D.C.K., M.W. Huff, and K.K. Carroll, Plasma lipoprotein changes in suckling and weanling rabbits fed semipurified diets, 566.
ROBINSON, S.F., and S.H. Quarfordt, Apoproteins in association with intralipid incubations in rat and human plasma. 343.
ROHWEDDER, W.K. See E.A. Emken.
ROOTS, B.I. See D.P. Selivonchick.
ROULET, M. See C.C. Roy.
ROUSER, G. See P.F. Hall.
ROY, C.C., M. Roulet, D. Lefebvre, L. Chartrand, G. Lepage, and L.A. Fournier, The role of gastric lipolysis on fat absorption and bile acid metabolism in the rat, 811.
RUGGIERI, S., and A. Fallani, Lipid composition of Morris hepatoma 5123c, and of livers and blood plasma from host and normal rats, 781.
Lipid composition of Yoshida Ascites hepatoma and of livers and blood plasma from host and normal rats, 323.
See A. Fallani.

S

Sakai, A. See T. Takagi.
SANDERS, T.H., Varietal differences in peanut triacylglycerol structure, 630.
SAUNDERS, D.R., and J. Sillery, Effect of calcium on absorption of fatty acid by rat jejunum in vitro, 703.
SCHAEFER, E.J., D.M. Foster, L.L. Jenkins, F.T. Lindgren, M. Berman, R.I. Levy, and G.B. Brewer Jr., The composition and metabolism of high density lipoprotein subfractions, 511.
SCHNEIDER, D. See F.P. Bell.
SELIVONCHICK, D.P., and B.I. Roots, Isolated brain capillary endothelia: Influence of various levels of essential fatty acids on the acyl group composition of glycerophospholipids, 66.
SEVANIAN, A., J.F. Mead, and R.A. Stein, Epoxides as products of lipid autoxidation in rat lungs, 634.
SHAFRIR, E., and T. Brenner, Lipoprotein lipid and protein synthesis in experimental nephrosis and plasmapheresis. I. Studies in rat in vivo. 695.
SHARMA, H.M. See D.G. Cornwell.
SHARMA, R.D., Isoflavones and hypercholesterolemia in rats, 535.
SHEPHERD, J. See H.J. Pownall.
SHERMAN, A.R., Serum lipids in suckling and post-weanling iron-deficient rats, 888.
SHERWIN, R. See Hulley.
SIDDIQI, F.A. See M.N. Beg.
SILLERY, J. See D.R. Saunders.
SINCLAIR, A.J., J.G. McLean, and E.A. Monger, Metabolism of linoleic acid in the cat, 932.
SINNHUBER, R.O. See T.A. Eisele.
See T.C. Yu.
SKLAN, D., and P. Budowski, Cholesterol metabolism in the liver and intestine of the chick: Effect of dietary cholesterol, taurocholic acid and cholestyramine, 386.
SKLAR, L.A. See K.M. Patel.
SLAKEY, L.L., T.J. Ferrick, G.C. Ness, and J.W. Porter, De novo fatty acid synthesis and fatty acid elongation catalyzed by subcellular fractions from hog and human aorta, 451.
SMITH, A., and W.R.H. Duncan, Characterization of branched chain fatty acids from fallow deer perinephric triacylglycerols by gas chromatography-mass spectrometry, 350.
A.G. Calder, A.K. Lough, and W.R.H. Duncan, Identification of methyl-branched fatty acids from the triacylglycerols of subcutaneous adipose tissue of lambs, 953.
SMITH, L.C. See H.J. Pownall.
SMITH, W., T.T. Dunagan, and D.M. Miller, Fatty acids in female *Macracanthorhynchus hirudinaceus* (Acanthocephala) 253.
SORRELL, M.F. See A.J. Barak.
SOUTHHALL, M.A. See W.D. Nes.
SPALDING, J.W., and G.E.R. Hook, Phospholipid ex-

change between subcellular organelles of rabbit lung, 606.
SPARROW, J.T. See K.M. Patel.
See H.J. Pownall.
SPECTOR, A.A. See C.P. Burns.
See W.B. Im.
SPENCER, G.F., K. Payne-Wahl, R.D. Plattner, and R. Kleiman, Lactobacillic and methyl-branched olefinic acids in *Byrsocarpus coccineus* seed oil, 72.
See K. Payne-Wahl.
SPRECHER, H. See G.S. Patil.
SRINIVASAN, S.R., B. Radhakrishnamurthy, E.R. Dalferes, Jr., and G.S. Berenson, Serum α-lipoprotein responses to variations in dietary cholesterol, protein and carbohydrate in different nonhuman primate species, 559.
See G.S. Berenson.
STANLEY, J.L. See W.D. Nes.
STEIN, R.A. See A. Sevanian.
See G.S. Wu.
STEPHENSON, J.H. See G. Graff.
STEVENS, P. See A.G. Hassam.
STILLWAY, L.W., D.A. Weigand, and M.G. Buse, Leucine as an in vitro precursor to lipids in rat sciatic nerve, 127.
STONE, K.J., A.L. Willis, M. Hart, S.J. Kirtland, P.B.A. Kernoff, and G.P. McNicol, The metabolism of dihomo-γ-linolenic acid in man, 174.
STOOPS, J.K. See S. Aprahamian.
STRØM, E. See M.S. Tomassen.
STUMPF, P.K. See K.C. Oo.
See M.R. Pollard.
SU, K.L. See G.Y. Sun.
SUBRAMANIAN, C. See G.A. Dhopeshwarkar.
SUENRAM, A., W.J. McConathy, and P. Alaupovic, Evidence for the lipoprotein heterogeneity of human plasma high density lipoproteins isolated by three different procedures, 505.
SUGAWARA, H. See K. Suyama.
SUN, G.Y., On the membrane phospholipids and their acyl group profiles of adrenal gland, 918.
K.L. Su, O.M. Der, and W. Tang, Enzymic regulation of arachidonate metabolism in brain membrane phosphoglycerides, 229.
SUNDARAM, M.G. See U.H. Do.
SUYAMA, K., S. Adachi, H. Sugawara, and H. Honjoh, Stereospecific analysis of glycerolipids of egg yolk of Japanese quail *(Coturnix coturnix japonica)*, 707.
SUZUKI, O. See Y. Jigami.
SVAAR, H. See J. Opstvedt.
SWIERCZEWSKI, E. See A.M. Gaven-Cogneville.

T

TAKAGI, T., A. Sakai, K. Hayashi, and Y. Itabashi, Occurrence of plant sterols in aquatic vertebrates, 5.
TAMIR, I. See B.M. Rifkind.
TANG, W. See. G.Y. Sun.
TANZAWA, K. See M. Kuroda.
TAPPEL, A.L. See C.J. Dillard.
TEN-HOOR, F. See C.E. Dutilh.
THOMAS, P.J. See H.V. Ammon.
THOMASSEN, M.S., E. Strom, E.N. Christiansen and K.R. Norum, Effect of marine oil and rapeseed oil on composition of fatty acids in lipoprotein triacylglycerols from rat blood plasma and liver perfusate, 65.
See E.N. Christiansen.
THOMPSON, B.K. See J.K.G. Kramer.
TILLETT, S. See J.A. Morrison.
TINOCO, J., G. Endemann, B. Medwadowski, P. Miljanich, and M.A. Williams, Ethanolamine kinase activity and compositions of diacylglycerols, phosphatidylcholines and phosphatidylethanolamines in livers of choline-deficient rats, 968.
R. Babcock, I. Hincenbergs, B. Medwadowski, P. Miljanich, and M.A. Williams, Linolenic acid deficiency, 166.
TJARKS, L.W. See R.D. Plattner.
TOBIAS, L.D., and J.G. Hamilton, The effect of 5,8, 11,14-eicosatetraynoic acid on lipid metabolism, 181.
TREADWELL, C.R. See C.L. Bisgaier.
TSAO, F.H.C. See G.R. Gutcher.
TSUJITA, K. See M. Kuroda.
TULLIEZ, J.E., and G.F. Bories, Metabolism of naphthenic hydrocarbons. Utilization of a monocyclic paraffin, dodecylcyclohexane, by rat, 292.
TULLOCH, A.P., Analysis of the conjugated trienoic acid containing oil from *Fevillea trilobata* by ^{13}C nuclear magnetic resonance spectroscopy, 996.
TUMA, D.J. See A.J. Barak.
TYROLER, H.A. See B.M. Rifkind.
TYSZKIEWICZ, J. See C. Litchfield.

U

UNRAU, A.M. See A.M. Pierce.

V

VAHOUMY, G.V. See C.L. Bisgaier.
VALDIGUIE, P. See M. Lagente.
VICK, B.A., D.C. Zimmerman, and D. Weisleder, Thermal alteration of a cyclic fatty acid produced by a flaxseed extract, 734.
VINCENT, J.E. See M.J. Parnham.
VOST, A., D.M.E. Pocock, and S. Pleet, pH Gradient electrophoresis and isoelectric focusing of lipoproteins on agarose bead thin layers, 864.

W

WALDEN, M.K. See I.R. Hunter.
WALLACE, R.B. See B.M. Rifkind.
WATANUKI, M. See P.F. Hall.
WEBBER, L.A. See G.S. Berenson.
WEGENER, W.S. See A.F. Cacciapuoti.
WEI, S.-P.L. See C.P. Burns.
WEIGLAND, D.A. See L.W. Stillway.
WEISLEDER, D. See H. Rakoff.
See B.A. Vick.
WELLS, M.A. See C.G. Crawford.
WEYANT, J.R. See J. Bitman.
WHITTAKER, N.F. See R.B. Field.
WILLIAMS, M.A. See J. Tinoco.
WILLIS, A.L. See A.G. Hassam.
See K.J. Stone.
WINGERD, J. See R.M. Krauss.
WINGET, R.R. See G. Graff.
WOLF, R.A. See N.A. Porter.
WOOD, D.L. See J. Bitman.
WOOD, P.D., and W.L. Haskell, The effect of exercise on plasma high density lipoproteins, 417.
WOOD, R. Incorporation of dietary *cis*- and *trans*-octadecenoate isomers in the lipid classes of various rat tissues, 975.
F. Chumbler, M. Matocha, and A. Zoeller, Geometrical and positional isomers content of the monounsaturated fatty acids from various rat tissues, 789.
See J.P. Mapes.
WOODS, L.S. See G.C. Ness.
WRENN, T.R. See J. Bitman.
WU, G.S., R.A. Stein, and J.F. Mead, Autoxidation of fatty acid monolayers adsorbed on silica gel. IV. Effects of antioxidants, 644.

XYZ

YOSS, J.K. See T.A. Eisele.
YU, T.C., R.O. Sinnhuber, and J.D. Hendricks, Reproduction and survival of rainbow trout *(Salmo gairdneri)* fed linolenic acid as the only source of essential fatty acids, 572.
ZACHMAN, R.D. See G.R. Gutcher.
ZEPP, A. See R.F. Bond.
ZIJLSTRA, F.J. See M.J. Parnham.
ZIMMERMAN, D.C. See P. Feng.
See B.A. Vick.
ZOELLER, A. See R. Wood.

SUBJECTS

A

ABSORPTION, dihomo-γ-linolenic acid, 174.
lecithin in human jejunum, 395.
linoleic acid in rat intestine, 378.
ACETATE, incorporation into cholesterol and bile acids, chick liver and intestine, 386.
1-^{14}C incorporation into cholesterol of lactating rat, 907.
^{14}C Acetate, incorporation into developing coconut endosperm, 132.
incorporation into fatty acids in lactating rat, 907.
incorporation in fetal rat brain, effect of DEHP, 372.
metabolism in copepod, 318.
ACETONE, volatile, in vivo indices, lipid peroxidation, 989.
ACID PHOSPHATASE, levels in hepatic tissue, 304.
1-ACYL-ARACHIDONOYL-GPC, radio labeled, enzymatic degradation in brain, 229.
GPE, radio labeled, enzymatic degradation in brain, 229.
ACYL COA-1-ACYL-PHOSPHOGLYCERIDES, acyl transferase, role of phosphoglyceride metabolism in brain, 229.
2-ACYL-SN-GLYCERO-3-PHOSPHORYLINOSITOL ACYLTRANSFERASE, rat liver, 529.
ACYL GLYCERIDES, incorporation of *trans*-fatty acids in brain, 257.
ACYL COA HYDROLASE, role in phosphoglyceride metabolism in brain, 229.
1-ACYL-OLEOYL-GPC, radio labeled, enzyme degradation in brain, 229.
ACYLATION, cholesterol, 4-pyrrolidinopyridine, 816.
ACYLTRANSFERASE, lysophosphatidylcholine, activity in rat intestine, 75.
lysophosphatidylcholine activity in rat intestinal microsomes, 84.
sterols, 478.
ACYLTRANSFERASE, assay, 478.
lecithin-cholesterol, radio assay, 533.
rat liver, 529.
role in phosphoglyceride metabolism in brain, 229.
ACYLTRANSFERASE ACTIVITY, assay, 529.
ADENOCARCINOMA, mammai effect of 5,8,11,14-eicosatetraenoic acid, 181.
ADENOSINE MONOPHOSPHATE, cyclic, dibutyryl, sterol ester hydrolase activation, 1.
ADIPOCYTES, rat inguinal tissue, 669.
ADIPOSE TISSUE, hydrocarbon composition in bovine, 298.
inguinal, rat, cell proliferation, 669.
lamb, branched chain fatty acids, 953.
pig, TLC ganglioside analysis, 52.
rat, *cis* and *trans* monoenes, dietary hydrogenated fat, 975.
monoenoic fatty acid isomers, 789.
TLC ganglioside analysis, 52.
glycerolipid formation, 463.
polyunsaturated FA content, linoleic acid deficient rats, 166.
human, TLC ganglioside analysis, 52.
ADRENAL GLAND, guinea pig, bovine, membrane phospholipids and fatty acids, 918.
rat, polyunsaturated FA content, linoleic acid deficient rats, 166.
AGGREGATION, arachidonate metabolism in platelet, 241.
AGING, rat brain, glycerophosphatide biosynthesis, age relationship, 925.
AIR OXIDATION, effect on guanylate cyclase activity, 212.
ALBUMIN, peroxidized diphosphatidylglycerol complex, 900.
ALCOHOL, consumption, change in HDL cholesterol, 119.
ALIPHATIC CHAIN, absorption of dodecyclohexane, 292.
AMINO ACID PROFILE, fatty acid synthetase, chick, 1015.
AMMONIUM SULFATE, fractionation, fababean phospholipase D, 913.
AMNIOTIC FLUID, phospholipid phosphorus determination, 492.
ANDROSTAN-3β-OL, as acyl acceptor, 478.
ANTHROPOMETRIC measurement, in Bogalusa Heart Study, 91.
ANTI-ISO-METHYLSUBSTITUTED acids, perinephric fat of Fallow deer, 350.
ANTIOXIDANTS, effect on autoxidation of linoleic acid, 644.
effect on smooth muscle cell proliferation in guinea pig. 194.
requirement in thiobarbituric acid test, 401.
AORTA, effect of PUFA and Vitamin E on smooth muscle cell proliferation in guinea pig. 194.
hog, subcellular fractions, 451.
human, subcellular fractions, 451.
microsomal fraction, preparation, 451.
APOPROTEIN, composition changes with plasma incubation, 343.
relationship of structure to function, 428.
HDL, unique features in man, 428.
APOPROTEIN A-I, plasma, effect of exercise in man, 417.
A-II, plasma, effect of exercise in man, 417.
ARACHIDONATE, metabolism, brain membrane, 229.
oxygenation, enzyme systems in platelets, 241.
prelabeled, release of PG in rabbit heart and kidney, 236.
See also ARACNIDONIC ACID.
ARACHIDONIC ACID, biosynthesis, 498.
biosynthesis, cat, 932.
brain levels in fatty acid-deficient rabbits, 79.
effect of 5,8,11,14-eicosatetraenoic acid on metabolism, 181.
hydroperoxide, effect on guanylate cyclase activity, 212.
indicator of essential fatty acid deficiency, 407.
effect on linoleic acid absorption in rat intestine, 378.
[1-^{13}C], d_8, MS, 819.
[1-^{13}C], d_8, synthesis, characterization, 819.
ARACHIODONATE METABOLISM CONVERSION, pH effect, platelet, 241.
ARACHIDONATE ACID LIPOXYGENASE, pathway in platelets, 251.
ARACHIDONYL GROUPS, turnover in brain membrane phosphoglycerides, 229.
ASCITES HEPATOMA, effect on lipid composition in rat, 323.
Aspergillus oryzae, see fungus.
ASTROGLIAL CELLS, see Glial cells.
AUTORADIOGRAPHY, arachidonate incorporation sites during PG biosynthesis in rabbit heart and kidney, 236.
AUTOXIDATION, effect of iron catalyst and BHT on methyl arachidonate, 401.
methyl linoleate, 401.
trilinoleate, 401.
linoleic acid, effect of α- and Δ-tocopherols, 644.
NO_2 initiated, 748.
rat lung lipid, 634.
Δ-5-AVENASTEROL, content in poppy and sunflowerseed oils, 285.
Δ-7-AVENASTEROL, content in sunflower and poppy seed oils, 285.

B

BEECH DROPS, sterol and fatty acid composition, 274.
BEEF TALLOW, dietary, effect on prostaglandin biosynthesis, 247.

BETAINE, liver, spectrophotometric assay, 860.
BILE, cholesterol absorption from, 441.
BILE ACIDS, absorption in young, importance of gastric lipolysis, 811.
composition, 277.
effect on secretion of phenobarbital in cholesterol gallstone subjects, 277.
enterohepatic cycling rates, 277.
fecal excretion in monkeys, 585.
half-life, in absence of gastric lipolysis, 811.
metabolism, young rat, 811.
pool size, 277.
synthesis, 277.
synthesis from cholesterol, chick liver, 386.
BILE OBSTRUCTION, effect on 3-hydroxy-3-methylglutaryl CoA reductase activity, 883.
BIOCHANIN A, hypocholesterolenic effect in rats, 535.
BLOOD GAS, during hemorrhagic shock, 842.
BLOOD pressure, measured in children, 91.
BLUBBER, whale, fatty acid profile, wax esters, triglycerides, 872.
BOGALUSA HEART STUDY, HDL levels in children, 91.
BRADYKININ, role in PG release in rabbit heart, kidney and brain, 236.
BRAIN, developmental pattern of glycerophosphatide molecular species in rat, 757.
effect of DEHP on lipid metabolism in fetal rat, 372.
enzymatic regulation of arachidonate metabolism in vivo and in vitro, 229.
diacylglycerol kinase in guinea pig, 309.
hamster, hibernating, PE fatty acid distribution, 1027.
membrane PUFA metabolism, 229.
quantitative extraction of lipid, 590.
rabbit, prostaglandin levels, essential fatty acid deficient diets, 79.
rat, capillary endothelia, effect of dietary EFA on phosphoglyceride composition, 66.
developing, glycerophosphatide molecular species, 757.
fatty acid desaturase, Δ-6, Δ-9, 763.
glycerophosphatide biosynthesis, age relationship, 925.
incorporation of *trans* fatty acids, 253.
lipogenesis from isoleucine, leucine, octanoic acid, β-hydroxybutyric acid, 47.
monoenic fatty acid isomers, 789.
polyunsaturated FA content, PE, linolenic acid deficient rat, 166.
BRAIN PHOSPHOLIPIDS, see Lipogenesis.
BRANCHED OCTADECENOATE ACIDS, see Octadecenoic acid.
BRASSICASTEROL, content in sunflower and poppy seed oils, 285.
Fungus, 663.
BROMODEOXYURIDINE, differentiation of glial cells, 852.
Brysocarpus coccineus seed oil, fatty acid composition, 73.
BUTYLATED HYDROXYTOLUENE, antioxidant requirement in thiobarbituric acid test, 401.
effect on smooth muscle cell proliferation in guinea pig, 194.

C

CALCIUM, effect on fatty acid absorption by rat jejunum, 703.
effect on phospholipase A activity, 718.
CAFFEINE, effect on smooth muscle cell proliferation in guinea pig, 194.
CALORIMETRY, differential scanning for lipid structure in lipoproteins, 428.
CAMPESTEROL, acylation, 478.
content in poppy and sunflower seed oil, 285.
content in various fish, 5.
mycelial growth in fungus, 458.
CANCER, breast, correlation with dietary fat intake, 155.
Candida guilliermondii, see Yeast.
CAPELIN, fatty alcohol profile, copepods in diet, 795.
CAPELIN MUSCLE, skin, triglyceride, wax ester, fatty acid profile, 804.
CAPILLARY ENDOTHELIA, brain, effect of dietary EFA on phosphoglyceride composition, 66.
CARBAMYLCHOLINE, effect on phosphoglyceride incorporation in brain, 229.
CARBOHYDRATE, dietary, and branched chain fatty acids in lambs, 953.
and serum lipoprotein in primates, 559.
from glycosphingolipids, analysis as trimethylsilyl ethers, 9.
CARBON NUMBER, empirical, HPLC, synthetic lecithin, 20.
CARBON SOURCE, growth medium, yeast, lipid and fatty acid profiles, 937.
CARBONYL COMPOUNDS, volatile, in vivo indices, lipid peroxidation, 989.
3-(ω-CARBOXYNONYL)-4-METHOXY-5-PENTAPHENOL, synthesis and antioxidant effect, 644.
CARBOXYL TERMINAL, function of apoproteins in enzyme activation, 428.
CARCINOGENESIS, mammary, dietary polyunsaturated vs. saturated fat, 155.
relation to dietary fat, 155.
CARDIAC LESIONS, rats, dietary rapeseed, soybean oils, 773.
CARDIAC TISSUE, effect of marine and rapeseed oils in piglet and rat, 356.
CARDIOLIPIN, rat, 435.
see also Diphosphatidylglycerol.
CARDIOVASCULAR DISEASE, plasma cholesterol level as a risk factor, 99.
serum HDL in children, 91.

CAT, fatty acid elongation, desaturase activity, 932.
metabolism of n-6 fatty acids, 932.
CELL CULTURE, gonnococci, 718.
CEREBROSIDES, in vitro incorporation of ^{14}C from leucine, isoleucine, and pyruvate, 127.
CHAIN SHORTENING, erucic acid, rat liver, dietary induction, 829.
CHENODEOXYCHOIC ACID, effect of phenobarbital on metabolism in cholesterol gallstone subjects, 277.
CHIMERA, plant sterol content, liver, 5.
CHOLESTANOL, mycelial growth in fungus, 458.
CHOLESTEROGENESIS, effect of dietary cholesterol, taurocholic acid and cholestyramine in chick liver and intestine, 386.
CHOLESTEROL, absorption in rat, 441.
^{14}C-, absorption in rat, 441.
^{3}H-, absorption in rat, 441.
1-^{14}-Acetate incorporation, lactating rat, 907.
biosynthesis in rat, 447.
lactating rat, inhibition, 907.
carcinogen from, 623.
content in poppy and sunflower seed oils, 285.
content in various fish, 5.
dietary, and lipid absorption in rat, 676.
and lipids of dog platelets, 469.
and response to pentobarbital in rat, 676.
and serum lipoprotein in primate, 559.
effect on rabbit plasma lipoprotein, 566.
inhibition of cholesterol synthesis in lactating rat, 907.
effect on cholesterogenesis in chick liver and intestine, 386.
5-α-, 6-α-epoxide, excretion in feces by mouse, 623.
metabolism in mouse, 619.
epoxide, metabolism in mouse, 623.
esterified, content in liver of normal and hepatoma host cells, 323.
content in plasma of normal and hepatoma host rats, 323.
plasma, gerbil, dietary fat, 1009.
free, content in liver of normal and hepatoma host cells, 323.
in fungus, 663.
hamster tumor, 752.
HDL, effect of estrogen and progestrin on levels, 113.
effect of exercise in man, 417.
level change and negative correlation with body

mass, VLDL, LDL and thiocyanate, 119.
of high density lipoproteins, 511.
LDL, effect of exercise in man, 417.
negative correlation and change in HDL cholesterol, 119.
and lipid, dietary, synergistic effects in rat, 676.
lipoprotein, levels in children, 99.
metabolism in chick liver and intestine, effect of cholesterol, taurocholic acid and cholestyramine, 386.
mycelial growth in fungus, 458.
phenobarbital effect on secretion in cholesterol gallstone subjects, 277.
phosphocholine, synthesis, 88.
plasma, assay, GLC, 1009.
gerbil, dietary fat, 1009.
total levels of VLDL, LDL, HDL, 105.
in rats fed isoflavones, 535.
rat serum, 447.
ratio of free to esterified in rat sertoli and germinal cells, 262.
serum, effect of 5,8,11,14-eicosatetraynoic acid, 181.
iron deficient rats, 888.
monkey, effect of coenzyme A reductase inhibitor, 585.
suppression of biosynthesis in rat liver with 5,8,11,14-eicosatetraynoic acid, 181.
synergism with sucrose in diet, 559.
synthesis in nephrotic rat, 695.
total plasma, effect of exercise in man, 417.
total serum level in children, 99.
VLDL, effect of exercise in man, 417.
VLDL, LDL, HDL, total serum levels in children, 91.
VLDL, negative correlation with HDL cholesterol change, 119.
CHOLESTEROL CLEAVAGE ENZYME, cytochrome P-450 fatty acid composition, 148.
CHOLESTEROL EPOXIDES, rat lung, 634.
CHOLESTEROL EPOXIDE HYDRASE, assay, 634.
CHOLESTERYL ESTERS, argentation thin layer chromatography, 598.
dog platelets, 469.
fatty streak composition, 194.
plasma, fatty acids in type V hyperlipidemia, 691.
rat kidney, fatty acid profile, dietary *trans* fatty acids, 1032.
saturated, unsaturated, synthesis and purification, 816.
spin-labeled, fluorescent, synthesis and purification, 816.
CHOLESTYRAMINE, effect on cholesterogenesis in chick liver and intestine, 386.
effect on cholesterol metabolism, chick liver and intestine, 386.
CHOLIC ACID, effect of phenobarbital on hepatic metabolism in cholesterol gallstone subjects, 277.
effect of phenobarbital on intestinal metabolism in cholesterol gallstone subjects, 277.
CHOLINE, dietary, effect on choline and phosphorylcholine in rat liver, 304.
free in hepatic tissue, levels, 304.
hepatic, measurement, 304.
^{14}C-, incorporation into rat lung phospholipids, 555.
CHOLINE DEFICIENCY, rat liver ethanolamine kinase activity, 968.
rat liver, PE, PC, diglyceride fatty acids, 968.
CHOLINE GLYCEROPHOSPHATIDE, see Phosphatidylchoiine.
CHOLINE PHOSPHOLIPIDS, synthesis, 88.
CHOLINE TOLUENE SULFONATE, used in choline phospholipid synthesis, 88.
preparation, 88.
CHROMAFIN GRANULES, membrane phospholipids, fatty acids adrenal gland, 918.
CHROMATOGRAPHY, argentation thin layer, diglyceride acetates, 757.
column, calcium phosphate gel, fababean phospholipase D, 913.
cholesterylphosphocholine purification, 88.
DEAE-cellulose, fatty acid synthetase, 1015.
estolide triglycerides, 601.
florisil in hepatoma lipids, 323.
glycosphingolipid isolation, 9.
high density lipoprotein, 505.
isoflavones, 535.
lipoproteins, high density, 511.
phosphatidylcholine analog purification, 88.
rat lung lipid, 634.
seed oil from *Heliophila amplexicaulis*, 576.
silicic acid purification, 334.
silicic acid, separation of phospholipid classes, 323.
argentation, analysis of methyl esters in *B. coccineus* seed oil, 73.
DEAE-cellulose, rat brain, lipids, 757.
gas, hydrocarbons, carbonyl compounds, 989.
gas liquid, chimera liver, plant sterols, 5.
cholesterol in dog platelets, 469.
copepod fatty acids, 318.
diacylglycerol, acetates, 541.
diatom fatty acids, 15.
diglyceride acetates, 757.
fatty acids from beech drops, 274.
fatty acids in copepod, 313.
fatty acids of *Heliophilia amplexicaulis*, 576.
fatty acids in hyperlipidemia, 691.
fatty acids of lung phospholipids, 541.
fatty acids of marine sponge, 619.
fatty acids of peanut oil triglycerides, 630.
fatty acids, in rats fed rapeseed oil, 614.
fatty acids of rat liver mitochondria, 727.
fatty acids of rat lung lipid, 634.
fatty acid methyl esters in lymphocyte and leukemia cells, 144.
fatty alcohols in fish, 795.
Fevillea trilobata fatty acid esters, 966.
fungal sterols, 458.
glass capillary, fatty acid, 469.
glucose analysis in sialic acid, 52.
gas liquid, glycosphingolipid, fatty acid and carbohydrate analysis, 9.
lung phospholipids, 541.
methyl ester analysis in *B. coccineus* seed oil, 73.
methyl esters and lipids of rat sciatic nerve, 127.
methyl esters in poppy and sunflower oils, 385.
methyl esters of rat erythrocyte phospholipids, 30.
methyl esters, rat VLDL-TG, 58.
neutral lipids and phospholipids of *M. hirudinaceus*, 253.
PC fatty acids in subcellular organelles of rabbit lung, 25.
12-oxo-*cis*10,15-phytodienoic acid and derivatives, 734.
sterols from beech drops, 274.
yeast sterols, 741.
gas liquid capillary, determination of octadecenoate isomers, rat plasma phospholipids, 70.
of seaweed octadecadienoiates, 580.
mass spectrometry, branched chain fatty acids, 953.
cholesterol oxidation products, 623.
fatty acids of phospholipids, 547.
fungal sterols, 458.
hydrocarbons in bovine tissue, 298.
hydroxy fatty acid TMS ethers, 576.
linoleate hydroperoxidase isomerase analysis, 208.
oxidized fats, 961.
oxohydroxy fatty acids, 848.
perinephric triacylglycerols, 350.
prostaglandins, 483.
prostaglandin analysis in vesicular gland microsomes of sheep, 334.
sterols from fungus, 663.
TMS derivatives, autoxidized soybean oil methyl esters, 39.
yeast sterols, 741.
gas liquid/radio, de novo fatty acid synthesis in diatom, 15.
incorporation of ^{14}C precursors in coconut endosperm, 132.
methyl esters of brain neutral and phospholipids, 257.
high pressure liquid, egg lecithin, 20.
linseed, soybean oil, 152.
oxidation products of retinoic acid, 714.
retention volume predicted by carbon number index, 20.
separation from TG by chain length and unsatura-

tion, 152.
sterols, 687.
synthetic lecithins, separation and purification, 20.
paper, (1,^{14}C) acyl-CoA thioesters, 651.
nucleotides, rat inguinal tissue, 669.
ratio-gas-liquid, ^{14}C-11-eicosenoic and ^{14}C-13-docosenoic acid, 651.
fatty acids, 451.
fatty acids in rat hydrocarbons, 292.
radio-thin-layer, ^{14}C-cholesterol oxidation products in mouse, 623.
^{14}C-choline, 555.
^{14}C-labeled lipids from rat lungs, 555.
^{3}H-phospholipids, 718.
thin layer, adrenal gland membrane phospholipids, 918.
brain lipid, 590.
brain neutral and phospholipids, 257.
cholesterol epoxides from rat lung lipid, 634.
coumaric acid, 535.
cyclooxygenase reaction products, 334.
2-dimensional, polar lipids of rat sciatic nerve, 127.
soybean lipids, 949.
11-eicosenoic and 13-docosenoic acids, 651.
estolide triglycerides, 601.
fatty acid purity, 194.
fatty alcohols in fish, 795.
free fatty acids, 718.
ganglioside comparison in various animals, two dimensions, 52.
glycosphingolipid isolation, 9.
high performance, gangliosides, glial cells, 852.
hydroxy fatty acids of *Heliophila amplexicaulis*, 576.
isolation of hydroperoxidase isomerase isomers, 208.
isolation of phospholipids from lymphocytes and leukemia cells, 144.
isolation of TG, 58.
and glyceryletherdiester, 323.
lipids, 478.
lipids of rats fed rapeseed oil, 614.
lipolysis products of *Heliophila amplexicaulis* triglycerides, 576.
lung phospholipids, 541.
mevalonolactone, 447.
microsomal brain lipids, 229.
neutral lipids in coconut endosperm, 132.
neutral lipids of rat sciatic nerve, 127.
PC and PE in subcellular organelles of rabbit lung, 25.
phospholipids, 547.
of dog platelets, 469.
of rabbit lung, 606.
of rat sertoli and germinal cells, 262.
quail egg lipids, 707.
rat lung lipid, 634.
sterol analysis in poppy and sunflower oils, 285.
sterols of fungus, 663.
yeast lipids, 937.
thin layer argentation, cholesterol esters, 598.
fatty acids, 598.
fatty acids of rat liver mitochondria, 727.
octadecadienoic acids in seaweed, 580.
on silver sulfamate-impregnated silica gel, 598.
CHYLOMICRONS, electrophoresis, isoelectric focusing, 864.
lipid changes with plasma incubation, 343.
Ciber arietinum, see Pulse.
CITRATE, metabolism in nephrotic rat, 695.
Cladophora rupestris, see Seaweed.
Cliona celeta, see Sponge, marine.
CLOFIBRATE, and heart lipidosis, 614.
effect on lipids of rats fed rapeseed oil, 614.
COCONUT, fatty acid synthesis in developing endosperm, 132.
preparation of microsomal fraction from endosperm, 132.
of soluble enzyme extracts from endosperm, 132.
tissue slices and cell-free preparations, 132.
COCONUT OIL, Ehrlich cell membrane fatty acids, 1003.
hydrogenated, dietary, effect on rat fatty acid composition, 30.
hydrogenated, effect on prostaglandin biosynthesis, 247.
Cocos nucifera, see Coconut.
COENZYME A, ester desaturation in rat liver and yeast enzymes, 159.
COLLAGEN, inducement of aggregation in platelets, 241.
CONJUGATED FATTY ACIDS, *trans*, ^{13}C NMR, 966.
β-oxidation, 943.
COPEPOD, fatty acid profile, 313.
North Atlantic, fatty alcohol profile, 795.
triglycerides, wax esters, fatty acid profile, 804.
COPROSTANOL, acylation, 478.
mycelial growth in fungus, 458.
CORN OIL, dietary, effect on prostaglandin biosynthesis, 247.
dietary, rat, effect on fatty acid composition, 30.
oxidized, hydroxy esters, 961.
thermally oxidized, effect on fatty acid profile, cultured heart cells, 836.
CORPUS LUTEUM, sterol ester hydrolase, activation, 1.
COTTON SEED OIL, oxidized, hydroxy esters, 961.
Coturnix coturnix japonica, see Quail.
COUMARIC ACID, thin layer chromatography, 535.
COW, lung phosphatidylglycerol, 541.
CRITICAL LENGTH, in function of apoproteins in lipid solubility, 428.
Crotalus adamanteuse, hydrolysis of lectithin, 257.
CRYSTALLIZATION, concentration of lipid classes at low temperatures, poppy and sunflower oils, 285.
CUPRIC PALMITATE, membrane, potential, 483.
CYCLIC NUCLEOTIDES, effect, fatty acid and vitamin, E, 194.
CYCLIC NUCLEOTIDE PHOSPHODIESTERASE, inhibitors effect on smooth muscle cell proliferation in guinea pig, 194.
CYCLOARTENOL, biosynthetic precursor in beech drops, 274.
metabolites present in in beech drops, 274.
CYCLOHEXYLDODECANOIC ACID, from dodecycylclohexane in rat, 292.
CYCLOOXYGENASE, pathway in platelets, 241.
CYCLOPROPENE FATTY ACIDS, inhibition of fatty acid desaturation, rat brain, 763.
metabolism in trout, 523.
CYSTEINE-$FeCl_3$, oxidation catalyst, hydroperoxide decomposition, 848.
CYTOCHROME b_5, addition, reconstitution of desaturase activity in microsomes of Novikoff hepatoma rats, 413.
microsomal activity in Novikoff hepatoma rats, 413.
CYTOCHROME P450, PC, PE, Sph and DPG content, 148.
bound phospholipid fatty acid composition, 148.

D

Dama dama, see Fallow deer, 350.
DEHP, effect on lipid metabolism in fetal and suckling rats, 372.
effect of maternal consumption on lipid metabolism in fetal rats, 372.
22-DEHYDROCHOLESTEROL, chimera liver, sardine-mackerel, trout, whale, content, 5.
DEHYDROASCORBIC ACID, effect on guanylate cylase activity, 212.
DESATURASE, effect of 5,8,11,14-eicosatetraynoic acid, 181.
fatty acid, Δ-5, Δ-6, cat, 932.
fatty acid, Δ-6, cofactor, binding, 1021.
fatty acids, prenatal protein depletion, 822.
fatty acid, Δ-6, Δ-9, rat brain, inhibition, 763.
fatty acid, in diatom, 15.
lecithin, cofactor requirements, 159.
lecithin, purification in rat liver, 159.
lecithin, rat liver and yeast, kinetic constants, 159.
of membrane bound phospholipids, 159.
DESATURATION, dihomo-γ-linolenic acid, 174.
fatty acids in coconut endosperm, 132.
fatty acids in copepod, 318.
α-linoleate and linolenate in copepod, 313.

Stearoyl-CoA activity, Novikoff hepatoma rats, 413.
DESMOSTEROL, acylation, 478.
DEOXYRIBONUCLEIC ACID, rat inguinal tissue, 669.
DEUTERATION, of arachidonic acid, 819.
DIACYLGLYCEROL ANALOGS, use in phosphatidyl choline synthesis, 88.
DIACYLGLYCEROL KINASE, specificity in guinea pig brain, 309.
DIACYLGLYCEROLS, from cockroach tissue lipases, stereospecific analysis, 893.
enzymatic synthesis, soybean lecithin, 925.
rat brain, phospholipid precursors, fatty acid profile, 925.
see Diglycerides.
DIALKYLPHOSPHATIDYLCHOLINE, synthesis, 88.
DIATOM, fatty acid composition, 15.
fatty acid desaturation, 15.
DICUMMAROL, chick nutritional encephalopathy, 768.
DICYCLOHEXYLCARBODIIMINE, in cholesteryl ester synthesis, 816.
DIETARY FAT, Ehrlich cell membrane fatty acids, 1003.
DIETHERPHOSPHATIDYLCHOLINE, synthesis, 88.
DIETHYL ETHER, effect on guanylate cyclase activity, 212. 212.
DIGLYCERIDES, content in liver of normal and hepatoma host cells, 323.
liver, fatty acids, choline deficient rats, 968.
DIACYLGLYCEROL, rat lung, and age, 541.
DI-HOMO-γ-LINOLENIC ACID, brain levels in fatty acid-deficient rabbits, 79.
conversion to prostaglandins, 174.
desaturation, 174.
effect of 20:4 level on man, 174.
incorporation in membrane lipids, 174.
incorporation, TG, PL, plasma, 174.
metabolism in man, review, 174.
tissue distribution, 174.
1,25-DIHYDROXY-VITAMIN D_3, stimulation of PC deacylation-reacylation in rat intestine, 75.
DIHYDROXYSTEARATES, TMS derivatives, GLC analysis in hydrogenated-oxidized methyl esters, 39.
3-β-(β-DIMETHYLAMINOETHOXY)-ANDROS-5-EN-17-ONE, effect on sterol metabolism in yeast, 741.
7,12-DIMETHYLBENZ-α-ANTHRACENE, and polyunsaturated fat, in mammary carcinogenesis, 155.
DIPHOSPHATIDYLGLYCEROL, composition in normal and hepatoma host liver, 323.
fatty acid profile, 148.
mitochondria and cytochrome P-450 content, 148.
peroxidized, albumin complex, electrophoresis, 900.
gel filtration, 900.
peroxidized, albumin complex, molecular weight, 900.
DITHIOTHREITOL, effect on guanylate cyclase activity, 212.
DOCOSA-4,7,10,13,16-PENTAENOIC ACID, comparative content in rat sertoli and germinal cells, 262.
DOCOSENOIC ACID, fish oils, fatty alcohols as precursors, 795.
DOCOSENOIC FATTY ACIDS, effect on cardiac lipid status, weanling pigs and rats, 356.
DODECYCLOHEXANE, absorption in rat intestine, 292.
conversion to cyclohexyldodecanoic acid, rat, 292.
dietary, tissue distribution in rat, 292.
^{3}H metabolism in rat, 292.
ω-oxidation in rat, 292.
^{3}H- preparation from ^{3}H-phenyldodecane, 292.
DOG, platelet composition and diet, 469.

E

EC 1.1.1.34, see-Hydroxy-3-methylglutaryl Coenzyme A reductase.
EC 1.13.11.12, see Lipoxygenase.
ECHINOCYTES, rat erythrocytes, diet-induced, 30.
EHRLICH CELLS, membrane fatty acids, phenylalanine transport, 1003.
membrane phenylalanine transport kinetics, 1003.
EICOSADIENOIC ACID, desaturation in human testes, 498.
EICOSATETRAENOIC ACID, metabolism in sheep vesicular gland microsomes, 334.
5,8,11,14-EICOSATETRAYNOIC ACID, effect on cholesterol synthesis and serum level, 181.
5,8,11,14-, effect on desaturases, 181.
effect on fatty acid composition of rat erythrocyte phospholipids, 30.
effect on sebum production in man, 181.
effect on lipid metabolism, review, 181.
metabolism, 181.
toxicity in rabbit embryo, 181.
EICOSATRIENOIC ACIDS, biosynthesis in human testes, 498.
effect on smooth muscle proliferation in guinea pig, 194.
indicator of essential fatty acid deficiency, 407.
methyl branched, desaturation, 826.
synthesis, cat, 932.
EICOSENOIC ACID, from erucic acid of rat microsomes and mitochondria, 268.
EGG, quail, stereospecific analysis of glycerolipids, 707.
ELAIDIC ACID, deuterated, metabolism in man, 547.
incorporation into brain lipids, 257.
incorporation into phospholipids of man, 547.
metabolism, 501.
ELECTROIMMUNOASSAY, apolipoproteins, 505.
ELECTRON MICROSCOPE, scanning, morphology of rat erythrocytes, 30.
ELECTROPHORESIS, cellulose acetate, desaturase cofactor, 1021.
gel, DEAE-cellulose, fatty acid synthetase, 1015.
lipoproteins, agarose bead thin layer, 864.
peroxidized diphosphatidylglycerol-albumin complexes, 900.
polyacrylamide gel, apolipoprotein, 511.
SDS-polyacrylamide gel, intralipid and chylomicrons, plasma incubation, 343.
α-ELEOSTEARIC ACID, possible β-oxidation mechanism, 943.
ELONGATION, fatty acid, 451.
fatty acid, cat, 932.
fatty acid chains in copepod, 318.
fatty acids in coconut endosperm, 132.
linoleate and linolenate chains in copepod, 313.
ENCEPHALOMALACIA
nutritional, chick, dicummarol protection, 768.
keto-fatty acids, 768.
oxidized fat, 768.
ENDOPEROXIDES, prostaglandin, effect on guanylate cyclase activity, 212.
ENDOSPERM, coconut, fatty acid biosynthesis, 132.
ENDOTHELIA, capillary, see Capillary endothelia.
ENOYL COA isomerase, assay, purification, bovine liver, 943.
β-oxidation of conjugated fatty acids, 943.
ENZYMES, inhibition by phthalates, 533.
regulation of arachidonate metabolism in brain, 229.
Epifagus virginiana, see Beech Drops, 274.
EPISTEROL, fungus, 663.
EPOXIDES, cholesterol, in rat lung, 634.
from lipid autoxidation in rat lung, 634.
EPOXYSTEARATE, TMS derivatives, GLC analysis in hydrogenated-oxidized soybean methyl esters, 39.
ERGOSTA-8,24(28)-DIEN-3-β-,6-α-diol, in yeast mutant, MS, 876.
ERGOSTEROL, yeast, 741.
ERUCIC ACID, chain elongation in rat microsomes, 268.
chain elongation in rat mitochondria, 268.
chain shortening, rat liver, dietary induction, 829.
chain shortening in rat microsomes, 268.
chain shortening in rat mitochondria, 268.
conversion in vitro in rat microsome, 268.
conversion in vitro in rat mitochondria, 268.
Heliphilia amplexicaulis see oil, 576.
metabolism in rat, 614.
metabolism, perfused rat liver, 829.

ERYTHROCYTES, cat, fatty acid profile, dietary n-6 acids, 932.
ERYTHROCYTES, lipid, phospholipid fatty acid profiles, cattle, buffalo, 983.
man, incorporation of dietary elaidic acid, 547.
rat, effect of diet on FA phospholipids, 30.
rat, morphology and effect of diet, 30.
rat, polyunsaturated FA content, linoleic acid deficient rats, 166.
ESOPHAGUS, fistulation, lingual lipase studies, 811.
ESOPHOGASTOMY, cervical, lingual lipase studies, 811.
ESSENTIAL FATTY ACIDS, body weight as deficiency indicator, 407.
deficiency, and dietary *trans* fatty acids, 1032.
deficiency effect on rabbit brain prostaglandins, 79.
dietary effect on FA composition in brain phosphoglycerides, 66.
effect of deficiency on prostaglandin biosynthesis, 247.
linoleic acid, metabolism effect, 378.
prostaglandin production in deficient rats, 407.
trout, 572.
ESTOLIDES, *Heliophila amplexicaulis* seed oil, 576.
preparation, 601.
ESTOLIDE TRIGLYCERIDES, preparation, 601.
separation by HPLC, 601.
ESTROGEN, effect on fatty acid synthetase, chick oviduct, liver, 1015.
effect on serum HDL, HDL_2 and HDL_3, 113.
ETHANE, volatile, in vivo indices, lipid peroxidation, 989.
ETHANETHIOL, nucleophile, corn germ LAHI reaction, 208.
ETHANOL, growth medium, yeast, lipid and fatty acid profiles, 937.
ETHANOLAMINE GLYCEROPHOSPHATIDE, see Phosphatidylethanolamine.
ETHANOLAMINE KINASE, rat liver, choline deficiency, 968.
DI-2-ETHYLHEXYL PHTHALATE, see DEHP.
N-ETHYLMALEIMIDE, effect on guanylate cyclase activity, 212.
EXERCISE, effect on plasma lipoproteins in man, 417.

F

FABA BEAN, phospholipase D, isolation, characterization, 913.
FAT, absorption in young, importance of gastric lipolysis, 811.
autoxidized, GC-MS, 961.
soybean oil methyl esters, analysis by GC-MS, 39.
dietary level, relation to mammary carcinogenesis, 155.
dietary, lipids of dog platelets, 469.
plasma cholesterol, gerbil, 1009.
partial hydrogenation, effect on prostaglandin biosynthesis, 247.
polyunsaturated, dietary, relation to mammary carcinogens, 155.
renal, TLC ganglioside analysis in rabbit, 52.
saturated, dietary, relation to mammary carcinogenesis, 155.
thermally oxidized, chick nutritional encephalopathy, 768.
FAT BODY, cockroach, lipase activity, 893.
frog, TLC ganglioside analysis, 52.
FAT OXIDATION, photosensitized, 961.
FAT TRANSPORT, lymphatic, effect of enantiomeric lysophosphatidylcholine, 84.
FATTY ACIDS, absorption by rat jejunum, 703.
1-^{14}C-acetate incorporation in lactating rat tissues, 907.
argentation thin layer chromatography, 598.
autoxidation in monolayers, 644.
biosynthesis in beech drops, 274.
in developing coconut endosperm, 132.
hepatic, inhibition, 2-tetradecylglycidic acid, 880.
branched chain, GC-MS, 953.
characterization of perinephric TG in Fallow deer, 350.
isolation as nonurea adduct, 953.
surface area and desaturation, 826.
triglycerides, lambs, 953.
catalysis of de novo synthesis, 451.
of elongation, 451.
composition in beech drops, 274.
Trans, conjugated, *Fevillea trilobata*, 966.
conjugated, β-oxidation, double bond isomerization, 943.
cyclopropene, inhibition of fatty acid desaturation, rat brain, 763.
cyclopropene, metabolism in trout, 523.
de novo biosynthesis in copepod, 318.
desaturation, Δ-6,Δ-9, rat brain, inhibition, 763.
diatom, biosynthesis from ^{14}C-acetate, ^{14}C-palmitate, ^{14}C-linoleate and ^{14}C-α-linolenate, 15.
biosynthesis, proposed pathways, 15.
composition, 15.
de novo synthesis of mono- and poly-unsaturated molecules, 15.
unsaturated, biosynthesis, 15.
trans, dietary, effect on rat kidney lipids, 1032.
trans-, induction of chain shortening, 829.
n-3, dietary requirements in warm-blooded animals, 166.
distribution in rat brain lecithin, 257.
effect of cofactors in coconut endosperm biosynthesis, 132.
effect on smooth muscle cell proliferation in Guinea pig, 194.
Ehrlich cell membranes, phenylalanine transport, 1003.
elongation in cat, 932.
epoxides, rat lung, 634.
fluorescent, spin-labeled, cholesterol esterification, 816.
free, as precursors to brain lipids, see lipogenesis.
content in normal and hepatoma host cells, liver, 323.
content in plasma of normal and hepatoma host rats, 323.
effect of DEHP on incorporation of acetate, fetal rat brain and liver, 372.
incorporation of *trans*-fatty acids into brain, 257.
release during PG biosynthesis in rabbit heart and kidney, 236.
n-3, function, 166.
hamster tumor, 752.
hog and human aorta, 451.
hydroxy, profile in fats, 961.
incorporation into phosphatidylinositol in rat liver, 529.
identification of isomeric octadecenoic, 727.
indicator of essential fatty acid deficiency, 407.
isolation in copepod, 313.
cis isomers, rat tissues, hydrogenated dietary fat, 975.
trans isomers, rat tissues, hydrogenated dietary fat, 975.
isomeric octadecenoic in rat liver mitochondria, 727.
jejunal absorption in man, effect of lecithin, 395.
keto, thermally oxidized, chick nutritional encephalopathy, 768.
ketol, from corn germ hydroperoxy linoleic acid, 208.
in lard, 356.
long chain unsaturated, separation and identity, 619.
metabolism, 498.
trans, metabolism, 501.
metabolism in copepod, 313.
metabolism in developing jojoba seed, 651.
trans, metabolism in man, 547.
metabolism in rat, 614.
monomeric isomers, rat tissue lipids, 789.
microsome metabolism, 194.
neutral glycosphingolipids in human heart, 9.
neutral lipids of *M. birudinaceus* "tube" system, 253.
nonesterified, effect of diet on cardiac tissue in piglets and rats, 356.
octadecadienoic, seaweed, 580.
in partially hydrogenated fish oil, 356.
peanut oil triglycerides, 630.
phospholipid composition in rat sertoli and germinal cells, 262.

polyunsaturated, brain membrane metabolism, 229.
polyunsaturated, linolenic acid deficient rat tissues, 166.
long chain metabolism, 166.
C_{30} of marine sponge, 619.
prenatal protein depletion, 14:822.
smooth muscle cell proliferation in guinea pig, 194.
positional distribution of PE and PC in lymphocytes and leukemia cells, 144.
trans-, positional specificity in brain lecithins, 256.
quail egg lipids, 707.
in rapeseed oil, 356.
rat lung, tissue and lavage, 634.
trans-, rat tissue lipids, 789.
in refined fish oil, 356.
N-3, shell fish dietary requirement, 166.
soluble enzyme extract from coconut endosperm, 132.
in sunflower oil, 356.
surfactant micel preparation, 378.
synthesis in nephrotic rat, 695.
thin-layer chromatography, 718.
total content in crude sunflower and poppy seed oils, 285.
triglyceride composition in rat sertoli and germinal cells, 262.
FATTY ACID DESATURASE, Δ-5, Δ-6 activity, cat, 932.
Δ-6, cofactor, binding, 1021.
Δ-9, Δ-6, Δ-5, prenatal protein depletion, 822.
diatom, 15.
surface area and rate, 826.
FATTY ACID ESTERIFICATION, inhibition, 5-(tetradecyloxy)-2-furoic acid, 880.
stimulation, 2-tetradecylglycidic acid, 880.
FATTY ACID HYDROPEROXIDES, conversion to oxohydroxy acids and isomers, 848.
effect on guanylate cyclase activity, 212.
FATTY ACID OXIDATION, inhibition, 2-tetradecylglycidic acid, 880.
stimulation, 5-(tetradecycloxy)-2-furoic acid, 880.
FATTY ACID PROFILE, 2-acyl-*sn*-glycero-phosphorylinositol, rat liver, 529.
adrenal glend, membrane phospholipids, 918.
cat plasma, erythrocytes, liver, 932.
coconut endosperm, 132.
cofactor, linoleic acid Δ-6 desaturase, 1021.
copepod, 313.
cultural heart cells, thermally oxidized oils, 836.
cultured glial cell membranes, 852.
distribution, hamster brain PE, 1027.
Ehrlich cell membranes, 1003.
erythrocyte phospholipids, European cattle, buffalo, 983.
Fevillea trilobata oil, 966.
hamster tumor lipids, 752.
Heliophilia amplexicaulis see oil, 576.
hepatoma, liver, plasma, host rats, 781.
lipids of heart and plasma of rats fed rapeseed oil, 614.
lipoprotein triglycerides in type V hyperlipidemia, 691.
liver PE, PC, diglycerides, choline deficient rat, 968.
lung phosphatidylglycerol, 541.
partially hydrogenated peanut oil, 727.
PC and PE from lymphocyte and leukemia cells, 144.
phospholipids of dog platelets, 469.
phosphatides, developing rat brain, 757.
phosphatidylinositol, rat liver, 529.
plasma cholesteryl esters in type V hyperlipidemia, 691.
rat brain diacylglyceols, phospholipid precursors, 925.
rat heart, liver, dietary rapeseed and soybean oils, 773.
rat kidney, dietary *trans* fatty acids, 1032.
Sph, PC, PE, DPG, neutral lipids, and cytochrome P450, 148.
sunflower seed oil, 727.
triglycerides, wax esters, copepods, 804.
triglycerides, wax esters in fish muscle and skin, 804.
trout, eggs and carcass phospholipids, 572.
wax esters, triglycerides, whale melon and blubber, 872.
yeast growth medium and, 937.
FATTY ACID SYNTHETASE, chick, amino acid profile, 1015.
chick oviduct, liver, estrogen effect, 1015.
chick oviduct, liver, purification, 1015.
FATTY ALCOHOLS, as precursors of docosenoic acid in fish oils, 795.
TLC/GLC, 795.
FATTY ALCOHOL PROFILE, fish oils, muscle of copepods, 795.
FERROUS SULFATE, as catalyst in thiobarbituric acid test, 401.
Fevilla trilobata, oil, fatty acid profile, 996.
FISH LIPIDS, triglycerides, wax esters, fatty acid profile, 804.
FISH OILS, fatty alcohol profiles, copepods, 795.
hydrogenated, effect on cardiac lipid status, pig and rat, 356.
refined, effect on cardiac lipid status in weanling pigs and rats, 356.
refined, fatty acids in, 356.
partially hydrogenated, fatty acids in, 356.
FLAX, hydroperoxide isomerase, 710.
FLAXSEED, enzymatic acitvity, 734.
FLUORESCENT CHOLESTERYL ESTERS, synthesis and purification, 816.
FORMONONETIN, hypocholesterolemic effect in rats, 535.
FRACTIONAL CHAIN LENGTH, position of methyl substitutes, triacylglycerols of Fallow deer, 350.
FREE FATTY ACID, skeletal muscle extraction during shock, 842.
FUNGAL METABOLITE, effect on monkey serum lipids, 585.
FUNGUS, free and esterified sterols, 663.
solubilizing agents and mycelial growth, 458.
sterols and mycelial growth, 458.

G

GALACTOSYL CERAMIDE, human heart, composition and fatty acid content, 9.
GANGLIOSIDES, characterization, carbohydrate and sialic acid, 9.
in cultured glial cell membranes, 852.
high performance TLC, 852.
human heart muscle, composition, 9.
isolation from various animal tissues, 52.
recovery from brain tissue, 590.
TLC comparison in various animals, 52.
GASTRIC LIPOLYSIS, see Lipolysis, gastric.
GASTROINTESTINAL TRACT, rat, polyunsaturated FA content, PE, linolenic acid-deficient rats, 166.
GEL FILTRATION, peroxidized diphosphatidylglycerolalbumin complexes, 900.
GERBIL, mongolian, plasma cholesterol response to dietary fat, 1009.
GERMINAL CELLS, isolation from rat testes, 262.
rat, lipid composition, 262.
GLIAL CELLS, cultured, differentiated, membrane lipid profile, 852.
GLOCOSIDE, human heart, fatty acid composition, 9.
GLUCOSE growth medium, yeast, lipid and fatty acid profiles, 937.
GLYCEROLIPID, formation in rats, 463.
GLYCOLIPIDS, cultured glial cell membranes, 852.
soybean, extraction, 949.
GLUCOSYL CERAMIDE, human heart, content and fatty acid composition, 9.
β-GLUCURONIDASE–SULFATASE, aid in extracting cholesterol epoxide from tissue, 623.
GLYCEROLIPID, and aging in rats, 463.
GLYCERYL ETHER DIESTERS, composition in ether-linked groups of hepatoma cells in rat, 323.
content in liver of normal and hepatoma host cells, 323.
GLYCOSPHINGOLIPIDS, carbohydrate and fatty acids, analysis by GLC, 9.
isolation by TLC and column chromatography, 9.
neutral, concentration in human heart, 9.
neutral, human heart muscle, composition, 9.
GUANYLATE CYCLASE, activation sequence, 212.

preparation from guinea pig splenic cells, 212.
stimulation in guinea pig, 212.
stimulation in prostaglandin endoperoxides and fatty acid hydroperoxides, 212.
GUINEA PIG, smooth muscle cell proliferation, 194.

H

HAEMOLYMPH, cockroach, lipase activity, 893.
HAMSTER, tumor, lipids, 752.
HEART, erucic acid matabolism and clofibrate, 614.
hydrocarbon composition in bovine, 298.
lipase role in prostaglandin synthesis in rabbit, 236.
lipidosis, effect of marine and rapeseed oils in weanling piglets and rats, 356.
rat, erucic acid metabolism, 614.
lesions, dietary oils, 773.
cis and *trans* monoenes, dietary hydrogenated fat, 975.
monoenoic fatty acid isomers, 789.
phospholipid metabolism, 435.
polyunsaturated FA content, PE, linolenic acid-deficient rats, 166.
TG composition, effect of dietary rapeseed and marine oils, 58.
HEART CELLS, cultured, fatty acid profile, thermally oxidized oil exposure, 836.
HEART MUSCLE, human, glycosphingolipids and gangliosides, isolation and characterization, 9.
HELICAL STRUCTURE, in function of apoproteins in lipid solubility, 428.
Heliophilia amplexicaulis, seed oil fatty acids, 576.
HEMATIN, catalyst, eicosatetraenoic acid-generated prostaglandin, 334.
HEPATOCYTES, lipogenesis, inhibition 2-tetradecylglycidic acid, 880.
HEPATOMA, liver, plasma, lipid profile, fatty acid profile, 781.
7288 CTC, ratio of octadecenoate isomers, rat plasma, 70.
Stearoyl-Coenzyme A activation in Novikoff rats, 413.
HEPATOMA CELLS, lipid composition in rat, 323.
HERRING, fatty alcohol profile, copepods in diet, 795.
muscle, skin, triglyceride, wax esters, fatty acid profile, 804.
HEXADECENOIC ACID, from erucic acid of rat microsomes and mitochondria, 268.
cis isomers, rat tissues, hydrogenated dietary fat, 975.
monomeric isomers, rat tissue lipids, 789.
trans isomers, rat tissues, hydrogenated dietary fat, 975.
HEXANAL, volatile, in vivo indices, lipid peroxidation, 989.
HIBERNATION, hamster, brain PE fatty acid distribution, 1027.
HORMONES, role in PG synthesis in rabbit heart and kidney, 236.
sex effect on lipoprotein cholesterol levels in women, 105.
HUMAN TESTES, fatty acid desaturation in, 498.
HYDROCARBONS, composition in bovine liver, heart, kidney, muscle and adipose, 298.
extraction from bovine tissue, 298.
hydrogenation, 298.
volatile, in vivo indices, lipid peroxidation, 989.
HYDROGENATED FAT, effect on fatty acids of rat liver mitochondria, 727.
marine oil, induction of erucic acid chain shortening, rat liver, 829.
HYDROGENATION, hydrocarbons in bovine tissue, 298.
^{3}H phenyldodecane, 292.
HYDROPEROXIDES, autoxidized soybean oil, analysis by GC-MS, 39.
composition, related to peroxide value in autoxidized soybean oil, 39.
fatty acid, effect on guanylcyte cyclase activity, 212.
isomeric, GC-MS, 961.
linoleic and linolenic, isomerization, 710.
preparation, 710.
HYDROPEROXIDE ISOMERASE, assay, 710.
substrate specificity, 710.
HYDROPEROXIDE LINOLEIC ACID, effect on guanylate cyclase activity, 212.
from corn germ, 208.
13-HYDROPEROXY-*cis*-9,*trans*-11-OCTADECADIENOIC ACID, see Linoleic acid hydroperoxides.
12-HYDROPEROXYEICOSATETRANOIC ACID, effect in platelet conversion, 241.
HYDROPHOBICITY, requirement for function of aproproteins in lipid solubility, 428.
HYDROXY ACIDS, *Heliophila amplexicaulis* seed oil, 576.
HYDROXY FATTY ACIDS, effect on guanylate cyclase activity, 212.
3-HYDROXY 3-METHYL-GLUTARYL COENZYME A REDUCTASE, development in the rat, 447.
inhibitor, hypolipidemic effects, 585.
liver of bile obstructed rats, 883.
rat liver, lipoprotein effect, 883.
9,10-HYDROXY-*cis* and *trans*-OCTADECENOATES, analysis by NMR spectra, 81.
9-HYDROXY-*trans*-10,*cis*-12-OCTADECADIENOIC ACID, see Linoleic acid hydroperoxides.
12-HYDROXY *cis*-and *trans*-OCTADECENOATES, analysis by NMR spectra, 81.
β-HYDROXYBUTYRIC ACID, lipids precursor in developing rat brain, 47.
HYDROXYEICOSATETRAENOIC acid, effect on platelet arachidonate conversion, 241.
HYDROXYEPOXYSTEARATES, TMS derivatives, analysis in hydrogenated-oxidized soybean methyl esters, 39.
HYDROXYSTEARATE, isomers by GC-MS analysis, 39.
TMS derivatives, capillary column GLC, 39.
HYPERCHOLESTEROLEMIA, in children: Bogalusa Heart Study, 91.
criteria for children, 99.
HDL and LDL levels in children, 99.
induction in rats by isoflavones, 535.
rats, effect of pulses, 535.
HYPERLIPIDEMIA, and fatty acids, 691.
HYPERLIPOPROTEINEMIA, TYPE V, effect of progestrin on HDL level, 113.
HYPERTENSION, evidence for effect of dietary fat on prostaglandin synthesis, 247.
HYPOTENSION, hemorrhagic, skeletal muscle free fatty acid extraction, 842.

I

IMMUNOPRECIPITATION, fatty acid synthetase, 1015.
INDOMETHACIN, effect on smooth muscle cell proliferation in guinea pig, 194.
INFLAMMATION, effect of 5,8,11,14-eicosatetraynoic acid, 181.
evidence for dietary fat effect on prostaglandin synthesis, 247.
INGUINAL FAT, rat, cell proliferation, 669.
INTESTINE, cholesterogenesis effect of dietary cholesterol, taurocholic acid and cholestyramine in chicks, 386.
cockroach, lipase activity, 893.
linoleic absorption in rat, 372.
rat, phosphatidylcholine deacylation-reacylation, Vitamin D stimulation, 75.
INTRALIPID, changes in apoprotein composition with plasma incubation, 343.
density fractions, KBr, 343.
IRON DEFICIENCY, rats, serum lipids, 888.
IRON-DEXTRAN, injected, lipid peroxidation in vivo, 989.
IRON, THIOBARBITURIC acid test for lipid peroxide, 401.
ISCHEMIA, role in PG release in rabbit heart, kidney and brain, 236.
ISOELECTRIC focusing, lipoproteins, agarose bead thin layers, 864.
ISOFLAVONES, column chromatography, 535.
effect of cooking, 535.
estrogenic effect in rats, 535.
extraction from pulses, 535.

hypocholesterolemic effect in rats, 535.
ISOLEUCINE, incorporation into rat sciatic nerve lipid in vitro, 127.
lipids precursor in developing rat brain, 47.
ISOMERIZATION, conjugated double bonds, β-oxidation, 943.
ISO-METHYL substituted acids, perinephric fat of Fallow deer, 350.

J

JEJUNUM, absorption in man of micellar lipids, 395.
fatty acid absorption in rat, 703.
JOJOBA SEED, wax biosynthesis, 651.

K

KETOL FATTY ACIDS, from corn germ hydroperoxy linoleic acid, 208.
KETOSTEARATE, TMS derivatives, GLC analysis in hydrogenated-oxidized soybean methyl esters, 39.
KIDNEY, cholesterol biosynthesis, dietary inhibition in lactating rat, 907.
fatty acid biosynthesis in lactating rat, 907.
hydrocarbon composition in bovine, 298.
lipase role in prostaglandin synthesis in rabbit, 236.
lipid profile, dietary *trans* fatty acids, 1032.
KIDNEY, rat, *cis* and *trans* monoenes, dietary hydrogenated fat, 975.
fatty acid profile, dietary *trans* fatty acids, 1032.
monoenoic fatty acid isomers, 789.
polyunsaturated FA content, PE, linolenic acid-deficient rats, 166.

L

LACTATION, rat, cholesterol biosynthesis, inhibition, 907.
LACTOBACILLIC ACID, in *B. coccineus* seed oil, 73.
identification of pyrrolide and methoxy derivatives by GC-MS, 73.
LACTOSYL CERAMIDE, human heart, fatty acid content, 9.
LACUNAR FLUID, fatty acids and neutral lipids of *M. hirudinaceus,* 253.
LAMB, triglycerides, branched chain fatty acids, 953.
LAMELLAR BODIES, rabbit lung, PC and PE content, 25.
PE fatty acid composition in rabbit lung, 25.
LANOSTEROL, biosynthetic precursor in beech drops, 274.
yeast, 741.
LARD, dietary, effect on prostaglandin biosynthesis, 247.
plasma cholesterol, gerbil, 1009.
effect on cardiac lipid status in weanling pigs and rats, 356.
fatty acids in, 356.
LECITHIN, cholesterol acyltransferase (LCAT) levels, effect of exercise in man, 417.
desaturase, cofactor requirements, 159.
effect on micellar lipids in jejunal absorption, 395.
analysis by HPLC, 20.
incorporation of *trans* fatty acids in rat brain, 257.
rat mitochondria, 435.
separation and purification, HPLC, 20.
synthesis with ^{14}C labeled substrate, 159.
synthetic, relative rates of desaturation in yeast and rat liver enzymes, 159.
LEMNISCI, fatty acids of neutral lipids and phospholipids in *M. Hiurdinaceus,* 253.
LESQUEROLIC ACID, estolides from, 601.
LEUCINE, in vitro precursor of rat sciatic nerve lipids, 127.
lipids precursor in developing rat brain, 47.
metabolism in nephrotic rat, 695.
LEUKEMIA CELLS, L1210 murine, positional distribution of fatty acids in PE and PC, 144.
LINOELAIDIC ACID, incorporation in brain lipids, 257.
α-LINOLEATE, metabolism in copepod, 313.
LINOLEATE, excess, effect on prostaglandin biosynthesis, 247.
metabolism in copepod, 313.
nucleophile, corn germ LAHI reaction, 208.
oxidized, hydroxy esters, 961.
prelabeled, release of PG in rabbit heart and kidney, 236.
See also LINOLEIC ACID.
LINOLEATE-SATURATED FATTY ACIDS, ratio in prostaglandin biosynthesis, 247.
LINOLEIC ACID, absorption in rat intestine, 372.
autoxidation, effect of α- and Δ-tocopherols, 644.
autoxidation in monolayers, 644.
Δ-6 desaturase, cofactor, binding, 1021.
diatom, de novo synthesis, 15.
dietary, effect on essential fatty acid-deficient rats, 407.
dietary effect on FA composition, brain phosphoglycerides, 66.
effect of thermal properties in bovine milk fat, 391.
metabolism in cat, 932.
LINOLEIC ACID HYDROPEROXIDES, oxidative breakdown, 848.
LINOLEIC ACID HYDROPEROXIDE ISOMERASE (LAHI), stereospecificity of corn germ, 208.
LINOLENATE, oxidized, hydroxy esters, 961.
See also LINOLENIC ACID.
LINOLENIC ACID, deficiency, review, 166.
α-LINOLENIC ACID, in beech drops. 274.
diatom, de novo synthesis, 15.
effect on linoleic acid absorption in rat intestine, 378.
as essential fatty acid in trout, 572.
hydroperoxide isomerization, 710.
γ-, metabolism, cat, 932.
see also Di-homo-γ-linolenic acid.
LINSEED OIL, separation by silica column HPLC, 152.
Linum usitatissimum L., see Flaxseed.
LIPASE, lingual, rat fat, bile acid absorption, 811.
role in PG synthesis in rabbit heart and kidney, 236.
triglyceride, assay, 893.
cockroach tissues, 893.
LIPIDS, brain, from leucine, isoleucine, octanoic acid, and β-hydroxybutyric acid, 47.
classes, low temperature crystallization, crude poppy and sunflower oils, 285.
hepatic acetate incorporation, effect of DEHP in fetal rats, 372.
myocardial accumulation, see Lipidosis.
neutral, distribution of ^{3}H from ^{3}H dodecylcyclohexane in liver, 292.
neutral, in lemnisci, pseudocoles and body wall of *M. hirudinaceus,* 253.
"tube" system fluid of *M. Hirudinaceus,* 253.
polar, incorporation of *trans*-fatty acids in brain, 257.
quantitative extraction from brain, 590.
rat sciatic nerve, biosynthesis in vitro from leucine, 127.
serum, body weight and HDL level, interrelationship, 91.
serum, effect of age, sex, race in children, 91.
serum, suckling and postweanling iron-deficient rats, 888.
soybean, immature, extraction and analysis, 949.
total content in cardiac tissue in piglets and rats on special diet, 356.

LIPID METABOLISM, biliary effect of phenobarbital, 277.
LIPID PEROXIDATION, in vivo indices of, 989.
LIPID PROFILE, cultured glial cell membranes, 852.
copepods, North Atlantic, 795.
effect of phenobarbital on bile of cholesterol gallstone subjects, 277.
erythrocytes, European cattle, buffalo, 983.
hepatoma, liver, plasma, host rats, 781.
rat kidney, dietary *trans* fatty acids, 1032.
yeast, growth medium and, 937.
LIPIDOSIS, and clofibrate, 614.
effect of marine and rapeseed oils in weanling rats and pigs, 356.
LIPOGENESIS, in developing rat brain, 47.
hepatic, inhibition, 2-tetradecylglycidic acid, 880.
LIPOLYSIS, evidence for effect in prostaglandin synthesis, 247.

gastric, products, dispersants for fat absorption, 811.
rat fat and bile acid absorption, 811.
triglycerides, cockroach tissues, products, 893.
LIPOPROTEIN, analytical centrifugation to quantify HDL in subspecies, 113.
cholesterol levels in children, 99.
cofactor for linoleic acid desaturation, 1021.
effect of estrogen levels in man, 417.
effect on 3-hydroxy-3-methylglutaryl Coenzyme A reductase activity, 883.
electrophoresis, isoelectric focusing, 864.
fatty acids of triglycerides, 691.
high density, assay, 505.
cholesterol level change, negative association with body mass, VLDL, LDL, and thiocyanate, 119.
cholesterol level change, positive correlation with alcohol intake, 119.
cholesterol levels, effect of age in children, 105.
cholesterol levels, effect of age and sex, 105.
cholesterol levels by Multiple Risk Factor Intervention Trial, 119.
cholesterol levels in women using sex hormones, 105.
composition, 511.
effect of estrogens and progestrins on level, 113.
HDL_2, effect of estrogens and progestrins on level, 113.
HDL_3, effect of estrogens and progestrins on level, 113.
HDL, effect of exercise in man, 417.
fluctuation in menstrual cycle, 113.
fractionation, 511.
heterogeneity, 505.
inverse relationship to coronary disease, 105.
isolation, 505.

levels, population distribution, 105.
metabolism, 511.
relationship to coronary heart disease, level in children, 91,99.
review of apoproteins, 428.
ultracentrifugation, 511.
Low Density, cholesterol levels, effect of age in children, 105.
cholesterol levels, effect of age and sex, 105.
cholesterol levels in women using sex hormones, 105.
effect of exercise in man, 417.
level in children, 91,99.

negative correlation with HDL changes, 119.
plasma, effect of adiposity in man, 417.
effect of alcohol in man, 417.
effect of diet in man, 417.
effect of exercise in man, 413.
effect of oral contraceptives in man, 417.
effect of smoking in man, 417.
effect of socioeconomic status in man, 417.
rabbit plasma, response to diet, 566.
research clinics, 105.
serum, level in children, 91.
monkey, alteration by a fungal metabolite, 585.
in primates, 559.
synthesis in nephrosis and plasmapheresis, 695.
very low density, cholesterol levels, effect of age in children, 105.
cholesterol levels, effect of age and sex, 105.
effect of exercise in man, 417.
cholesterol levels in women using sex hormones, 105.
effect of rape and marine oils on TG composition, 58.
level in children, 91.
negative correlation with HDL change, 119.
secretion, perfused rat liver, 829.
LIPOXYGENASE, arachidonate, pathway in platelets, 241.
5,8,11,14-eicosatetraynoic acid, competitive inhibitor, 181.
preparation, 710.
LIVER, betaine, spectrophotometric assay, 860.
cat, fatty acid profile, dietary n-6 acids, 932.
chick, fatty acid synthetase, estrogen effect, 1015.
cholesterogenesis effect of dietary cholesterol, taurocholic acid and cholestryamine in chick, 386.
determination of choline and phosphoryl choline, 304.
effect of DEHP on lipid metabolism in fetal rat, 372.
^{3}H-dodecyclohexane metabolism in rat, 292.
hydrocarbon composition in bovine, 298.
lipid composition in normal and hepatoma host rats, 323.
lipid-fatty acid profiles, rats with hepatoma, 781.
maternal, fetal, fatty acid desaturases, 822.
perfused 3-hydroxy-3-methylglutaryl Coenzyme A reductase activity in rat, 883.
perfused, isolation of VLDL, 58.
phospholipid phosphorus determination, 492.
rabbit, phospholipid metabolism, 606.
rat, choline deficient, ethanolamine kinase, 968.
choline deficient, phosphatide, diglyceride fatty acids, 968.
cis and *trans* monoenes, dietary hydrogenated fat, 975.
effect of dietary fat and cholesterol, 676.
glycerolipid formation, 463.
lipoprotein synthesis nephrosis, 695.
monoenoic fatty acid isomers, 789.
perfused, erucic acid chain shortenting, 829.
phospholipid desaturase, membrane bound, 159.
phospholipid metabolism, 435.
polyunsaturated FA conent, PE, linolenic acid-deficient rats, 166.
TG composition, effect of dietary rapeseed and marine oils, 58.
trout, sterculic acid metabolism, 523.
LIVER PERFUSATE, rat, VLDL-TG composition, effect of rapeseed and marine oils, 58.
LUNG, cholesterol biosynthesis, dietary inhibition in lactating rat, 907.
fatty acid biosynthesis in lactating rat, 907.
fetal rabbit, PC and PE content in subcellular organelles, 25.
mammalian, phosphatidylglycerol, 541.
phospholipid metabolism, 606.
rat, *cis* and *trans* monoenes, dietary hydrogenated fat, 975.
cholesterol epoxides, 634.
epoxides, 634.
incorporation of ^{14}C-choline into phospholipid, 555.
monoenoic fatty acid isomers, 789.
polyunsaturated FA content, PE, linolenic acid-deficient rats, 166.
surfactant, 447.
634.
LYMPHOCYTES, murine, positional distribution of fatty acids in PC and PE, 144.
LYSOPHOSPHATIDYLCHOLINE, acyltransferase, activity in rat intestine, 75.
dog platelets, 469.
rat erythrocyte, effect of diet on FA content, 30.
steric configuration, effect on lymphatic fat transport, 84.

M

MACKEREL, fatty alcohol profile, copepods in diet, 795.
muscle, skin, triglyceride, wax esters, fatty acid profile, 804.
plant sterol content, flesh and viscera, 5.
Macracanthorhynchus hirudinaceus, neutral lipid composition, 253.
phospholipid composition, 253.
MAGNESIUM, effect on phospholipase A activity, 718.
^{14}C MALONATE, incorporation into developing coconut endosperm, 132.
MAMMARY TISSUE, cholesterol biosynthesis, dietary inhibition in lactating rat, 907.
fatty acid biosynthesis in lactating rat, 907.
MANGANESE, effect on phospholipase A activity, 718.
MARINE OILS, effect on cardiac lipid status, weanling pigs and rats, 356.
effect on fatty acid composition, VLDL-TG, 58.

hydrogenated, induction of erucic acid chain shortening, rat liver, 829.
MELON, whale, fatty acid profile, wax esters, triglycerides, 872.
MEMBRANE LIPIDS, cultured glial cells, 852.
incorporation of dihomo-γ-linolenic acid, 174.
MEMBRANES, adrenal gland, guinea pig, bovine, phospholipids and fatty acids, 918.
blood cell, incorporation of fatty acids, 547.
cupric palmitate, potential, 682.
Ehrlich cells, phenylalanine transport kinetics, 1003.
Ehrlich cell, transition to temperature, 1003.
hamster brain, hibernating, PE fatty acid distribution, 1027.
incorporation of isomeric octadecenoic fatty acids, 727.
MENSTRUAL CYCLE, HDL level fluctuation, 113.
Mesoplodon bidens, see Whale.
METHANOL, growth medium, yeast, lipid and fatty acid profiles, 937.
nucleophile, corn germ LAHI reaction, 208.
METHYL LINOLENATE MONOHYDROPEROXIDES, test for lipid peroxides, conditions, 401.
METHYL-SUBSTITUTED iso acids, occurence in Fallow deer, 350.
24-METHYLENE CHOLESTEROL, chimera and sardine, content, 5.
cis-11,12-*METHYLENOCTADECENOIC* ACID, in *B. coccineus* seed oil, 73.
METHYLMALONYL-CO-A, evidence of incorporation into fatty acids of Fallow deer, 350.
MEVALONATE, effect of DEHP on incorporation into liver and brain of fetal rats, 372.
MICELLAR LIPIDS, effect of licithin on jejunal absorption, 395.
MICELLAR SOLUTION, linoleic acid, perfusate preparation, 378.
MICROSOMES, conversion of erucic acid in rat heart, 268.
conversion of erucic acid in rat kidney, 268.
conversion of erucic acid in rat liver, 268.
fatty acid metabolism, 194.
hamster brain, hibernating, PE fatty acid distribution, 1027.
intestinal, lysophosphotidylcholine acyl transferase specificity, 84.
isolation from coconut endosperm, 132.
isolation in rat heart, liver and kidney, 268.
isolation from sheep vesicular gland, 334.
membrane phospholipids, fatty acids, adrenal gland, 918.
metabolism of eicosatetraenoic acid, 334.
PC fatty acid composition in rabbit lung, 25.
phospholipid metabolism, 435.
rabbit lung, PC and PE content, 25.
rat brain, phospholipid synthesis, 925.
rat liver, lung, and brain, 447.
stearoyl-CoA desaturase activity in Novikoff hepatoma rats, 413.
MILK, bovine, effect of thermal properties on linoleic acid content, 391.
MITOCHONDRIA, adrenocortical, content of PC, PE, Sph and DPG in bovine, 148.
conversion of erucic acid in rat heart, 268.
conversion of erucic acid in rat kidney, 268.
conversion of erucic acid in rat liver, 268.
fatty acid elongation, 451.
isolation in rat heart, liver and kidney, 268.
membrane phospholipids, fatty acids, adrenal glands, 918.
phospholipid metabolism, 435.
rabbit lung, PC and PE content, 25.
rat, liver, metabolism of octadecenoic isomers, 727.
rat liver membrane, preparation, 727.
ML-236B, see Fungal metabolite.
MOBILITY, apoproteins in plasma lipoproteins, 428.
MOLECULAR SPECIES, PE, PC, developing rat brain, 757.
quantitation, radioisotopic, 757.
MONKEY, hypolipidemia induced by a fungal metabolite, 585.
MONOCYCLOPARAFFIN, metabolic utilization in rat, 292.
MONOGLYCERIDES, content in liver of normal and hepatoma host cells, 323.
MONOLAYERS, linoleic acid, tocopherol, 644.
MONOMERS, lipid, effect of lecithin on polyethylene disc absorption, 395.
MORRIS hepatoma 5123 c, see Hepatoma.
MOUSE, cholesterol epoxide metabolism,623.
MUSCLE, cockroach, lipase activity, 893.
fish, fatty alcohol profile, 695.
triglycerides, wax esters, fatty acid profile, 804.
hydrocarbon composition in bovine, 298.
rat *cis* and *trans* monoenes, dietary hydrogenated fat, 975.
monoenoic fatty acid isomers, 789.
Polyunsaturated FA content, PE, linolenic acid-deficient rat, 166.
skeletal, free fatty acid extraction during shock, 842.
vasodilation and free fatty acid extraction, 842.
MYELIN, hamster brain, hibernating, PE fatty acid distribution, 1027.
MYOCARDIUM, lipid accumulation in, see Lipidosis.
MYRISTIC ACID, de novo synthesis, 451.

N

NADH-CYTOCHROME C reductase, microsomal activity in Novikoff hepatoma rats, 413.
Ferricyanide reductase, microsomal activity in Novikoff hepatoma rats, 413.
α-NAPHTHOL, effect on smooth muscle proliferation in guinea pig. 194.
NECROSIS, cardiac, rats, dietary rapeseed and soybean oils, 773.
Neisseria gonorrhoeae, see Gonococci.
NEPHROSIS, and synthesis of lipoprotein in rat, 695.
NERVONIC ACID, from erucic acid in microsomes and mitochondria of rat, 268.
NEUTRAL LIPID, fatty acid profile, cytochrome P-450, 148.
1-NITROHEXADECANE, synthesis, 748.
NITROHYDROPEROXIDES, determination, 748.
NONPHOTOSYNTHETIC PLANTS, fatty acid and sterol composition in beech drops, 274.
NORCHOLESTANEDIOL, chimera liver and sardine, content, 5.
NUTRITIONAL ENCEPHALOPATHY, see Encephalopathy, nutritional.

O

OBESITY, rat, 463.
OCTADECADIENOIC ACID, effect on smooth muscle proliferation in guinea pig, 194.
trans-9,12-OCTADECADIENOIC ACID, incorporation into lecithin in rat brain, 257.
seaweed, 580.
OCTADECENOATES, analysis by NMR spectra, 81.
metabolism, 504.
cis- metabolism in rat liver, 727.
branched, in *B. coccineus* seed oil, 73.
cis isomers, rat tissues, hydrogenated dietary fat, 975.
deuterated *cis*- and *trans*-metabolism in man, 547.
trans- acids, dietary, metabolism in rat liver, 727.
effect on smooth muscle proliferation in guinea pig, 194.
trans-0-, incorporation into lecithin in rat brain, 257.
monomeric isomers, rat tissue lipids, 789.
trans isomers, rat tissue, hydrogenated dietary fat, 975.
OCTADECENOYLGLYCEROL, effect of lecithin on jejunal absorption in man, 395.
monomer, effect of lecithin on polyethylene disc absorption, 395.
OCTADIENOLS, oxidative ozonolysis, 580.
(E,E)-3,5-OCTADIENOYL-COA, synthesis, β-oxidation, 943.
OCTANOIC ACID, lipids precursor in developing rat brain, 47.
OLEATE, metabolism in copepod, 318.
methyl, oxidized, hydroxy esters, 961.
monomers, effect of lecithin on polyethylene disc absorption, 395.

nucleophile, corn germ LAHI reaction, 208.
prelabeled, release of PG in rabbit heart and kidney, 236.
^{14}C-, transport by rat iejunum, 703.
See also OLEIC ACID.
OLEIC ACID, comparative content in rat sertoli and germinal cells, 262.
deuterated, metabolism in man, 547.
effect of lecithin on jejunal absorption in man, 395.
effect on linoleic acid absorption in rat intestine, 378.
from erucic acid in rat microsomes and mitochondria, 268.
plasma phospholipids of hepatoma-bearing rats, 70.
OLIVE OIL, thermally oxidized, effect on fatty acid profile, cultured heart cells, 836.
OVARIES, bovine, sterol ester hydrolase activity, interstitial tissue, 1.
OVARY, rat, polyunsaturated FA content, linoleic acid deficient rats, 166.
OVIDUCT, chick, fatty acid synthetase, estrogen effect, 1015.
OVULATION, effect on HDL levels, 113.
β-OXIDATION, conjugated fatty acids, 943.
α- dodecylclohexane in rat, 292.
effect on guanylate cyclase activity, 212.
β- of erucic acid in rat microsomes, 268.
β- of erucic acid in rat mitochondria, 268.
octadecenoates, by rat heart mitochondria, 501.
soybean oil, effect of temperature on hydroperoxide formation, 39.
OXIDIZED FAT, chick nutritional encephalopathy, 768.
fractionation, 768.
9(13)-OXO-13(9)-HYDROXY-*trans*-11(10)-OCTADECENOIC ACIDS, see Oxohydroxy fatty acids.
12-OXO-*cis*-10,15-PHYTODIENOIC ACID, synthesis, purification, and characterization, 734.
thermal alteration, and derivatives, 734.
OXOHYDROXY FATTY ACIDS, from hydroperoxides, GC/MS, 848.
TRANS-4-OXORETINOIC ACID, preparation and identification, 714.
OZONOLYSIS, of alcohols from seaweed octadecadienoates, 580.
fatty acids of rat liver mitochondria, 727.

P

PALMITATE, metabolism in copepod, 318.
prelabeled, relase of PG in rabbit heart and kidney, 236.
PALMITIC ACID, comparative content in rat sertoli and germinal cells, 262.
PALMITIC ACID, de novo synthesis, 451.
1-PALMITOYL-*sn*-GLYCERO-3-PHOSPHOCHOLINE, in lymphatic fat transport, 84.
1-PALMITOYL-GPC, radio-labeled, enzyme degradation in brain, 229.
1-PALMITOYL-2-LINOLEOYL GLYCEROPHOSPHOCHOLINE (GPC), see Lecithin.
PAPAVERINE, effect on smooth muscle cell proliferation in guinea pig, 194.
PARACALANUS PARVUS, see Copepod.
PEANUT, triglyceride structure and variety, 630.
PEANUT OIL, and lipids of rat heart and plasma, 614.
triglycerides, stereospecific analysis, 630.
PENTANE, volatile, in vivo indices, lipid peroxidation, 989.
PENTOBARBITAL, response in rat, and diet, 676.
PERFUSION, to study linoleic acid absorption in rat intestine, 378.
for study of lipid absorption in human jejunum, 395.
Periplaneta americana, see Cockroach.
PEROXIDATION, phospholipid, protein interaction, 900.
PEROXIDES, lipid, thiobarbituric acid test, 401.
PEROXIDE VALUE, relation to hhdroperoxide composition in autoxidized soybean methyl esters, 39.
15-*keto*-9,11-PEROXIDOPROSTA-5,13-DIENOIC ACID, see 15-*keto*-PGG_2, 334.
PERSULFATE, flow rate, effect on linoleic acid absorption in rat intestine, 378.
PETROSELAIDIC acid, metabolism, 501.
Phaeodactylum tricornutum, see Diatom.
Phaseolus aureus, see Pulse.
Phaseolus mungo, see Pulse.
PHENOBARBITAL, effect on biliary lipid metabolism, 277.
PHENYLALANINE, transport, Ehrlich cells, membrane fatty acids, 1003.
transport kinetics, Ehrlich cells, 1003.
PHOSPHATIDIC ACID, soybeans, artifact of extraction, 949.
Trans-PHOSPHATIDYLATION, PE, PC, $CHCO_3$: CH_3OH extraction, 949.
PHOSPHATIDYLCHOLINE, biosynthesis, aging rat brain, 925.
comparative content in rat sertoli and germinal cells, 262.
composition in normal and hepatoma host liver, 323.
dog platelets, 469.
effect on di-homo-γ-linolenic acid and arachidonic acid levels in fatty acid-deficient rabbit brain, 79.
fatty acids, buffalo and cattle erythrocytes, 983.
fatty acid composition in rabbit lung, 25.
FA composition in rat brain capillary endothelia, 66.
fatty acid composition in rat sertoli and germinal cells, 262.
fatty acid positional distribution in lymphocytes and leukemia cells, 144.
fatty acid profile, cytochrome P-450, 148.
fetal rabbit lung, in subcellular organelles, 25.
in vitro incorporation of ^{14}C from leucine, isoleucine and pyruvate, 127.
labeled, synthesis, 596.
liver, fatty acids, choline-deficient rats, 968.
lymphatic, effect of enantiomeric lysophosphatidylcholine, 84.
mitochondria and cytochrome P-450 content, 148.
molecular species, rat brain, 757.
phosphalipase A_2 hydrolysis from lymphocytes and leukemia cells, 144.
quail egg, stereospecific analysis, 707.
rabbit lung, intracellular transport, 606.
rat erythrocyte, effect of diet on FA, 30.
rat mitochondria, 435.
rat lung, and age, 541.
rat tissues, *cis* and *trans* monoenes, dietary hydrogenated fats, 975.
synthesis, 88.
synthesis from phosphatidylethanolamine, 596.
synthesis in rat lung, 555.
TLC isolation in rabbit lung, 25.
PHOSPHATIDYLETHANOLAMINE, biosynthesis, aging brain, 925.
composition in normal and hepatoma host liver, 323.
conversion to phosphatidylcholine, 596.
dog platelets, 469.
effect of di-homo-γ-linolenic acid and arachidonic acid levels in fatty acid-deficient rabbit brain, 79.
fatty acids, buffalo and cattle erythrocytes, 983.
FA composition in rat brain capillary endothelia, 66.
fatty acid composition in rat sertoli and germinal cells, 262.
fatty acid positional distribution in lymphocytes and leukemia cells, 144.
fatty acid profile, cytochrome P-450, 148.
hamster brain, fatty acid distribution, 1027.
in vitro incorporation of ^{14}C from leucine, isoleucine, and pyruvate, 127.
liver, fatty acids, choline-deficient rats, 968.
mitochondria and cytochrome P-450 content, 148.
molecular species, rat brain, 757.
phosphalipase A_2 hydrolysis from lymphocytes and leukemia cells, 144.
plasmalogen, FA composition in rat brain capillary endothelia, 66.
polyunsaturated fatty acid composition in linolenic acid deficient rat, 166.
quail egg, stereospecific analysis, 707.
rabbit lung, content in subcellular organelles, 25.
rat erythrocyte, effect of diet on FA, 30.
mitochondria, 435.
rat tissues, *cis* and *trans* monoenes, dietary hydrogenated fats, 975.
(PE), TLC isolation from rabbit lung, 25.
trimethylation, 596.

PHOSPHATIDYLGLYCEROL, lung, fatty acids, 541.
rat lung, and age, 541.
PHOSPHATIDYLINOSITOL, composition in normal and hepatoma host liver, 323.
conversion to phosphatidylinositol in rat liver, 529.
dog platelets, 469.
formation in rat liver, 529.
rabbit lung, intracellular transport, 606.
rat erythrocyte, effect of diet on FA, 30.
rat mitochondria, 435.
PHOSPHATIDYLMETHANOL, soybeans, artifact of extraction, 949.
PHOSPHATIDYLSERINE, dog platelets, 469.
effect on di-homp-γ-linolenic acid and arachidonic acids in fatty acid-deficient rabbit brain, 79.
fatty acids, buffalo and cattle erythrocytes, 983.
fatty acid composition in rat sertoli and germinal cells, 262.
in vitro incorporation of ^{14}C from leucine, isoleucine, and pyruvate, 127.
PHOSPHOCHOLINE CHOLESTEROL, synthesis, 88.
PHOSPHOGLYCERIDES, composition in ether linked groups of hepatoma cells in rat, 323.
incorporation of fatty acids in brain, 229.
radio-labeled, enzyme degradation in brain, 229.
PHOSPHOLIPASE, in prostaglandin biosynthesis in rabbit heart and kidney, 236.
PHOSPHOLIPASE A, effect of alcohols, 718.
effect of metal ions, 718.
hydrolysis of gonoccoci phospholipids, 718.
PHOSPHOLIPASE A_2, activity in rat intestine, 75.
hydrolysis of PE and PC from lymphocytes and leukemia cells, 144.
positional distribution PE fatty acids, 1027.
role in membrane phosphoglycerol metabolism in brain, 229.
PHOSPHOLIPASE C, role in membrane phosphoglyceride metabolism in brain, 229.
PHOSPHOLIPASE D, fababean, isolation and characterization, 913.
PHOSPHOLIPASE D, fababean, pH optimum, heat stability, Ca requirement, 913.
PHOSPHOLIPID DESATURASES, membrane bound, review, 159.
PHOSPHOLIPIDS, assay of exchange activity, 606.
brain, see Lipogenesis.
comparative content in rat sertoli and germinal cells, 262.
content in liver of normal and hepatoma host cells, 323.
content in plasma of normal and hepatoma host rats, 323.
determination, 492.
dog platelets, 469.
effect of alcohols on hydrolysis by phospholipase A, 718.
effect of DEHP incorporation in acetate, fetal rat brain and liver, 372.
hamster tumor, 752.
HDL apoprotein solubilization in man, 428.
of high density lipoproteins, 511.
human, incorporation of elaidic acid, 547.
human plasma, erythrocyte and platelet, 547.
hydrolysis by phospholipase A, 718.
incorporation of ^{3}H in tissue, 292.
isolation from lymphocytes and leukemia cells, 144.
in lemnisci, pesudocoel and body wall of *M. hirudinaceus*, 253.
marine sponge, fatty acids, 619.
membrane, adrenal gland, fatty acid profile, 918.
metabolism in rat, 435.
murine lymphocytes and leukemia cells, fatty acid distribution, 144.
peroxidized, protein interaction, 900.
phenobarbital effect on secretion in cholesterol gallstone subjects, 277.
plasma incorporation of dihomo-γ-linolenic acid, 174.
plasma, ratio of octadecenoate isomers in hepatoma-bearing rats, 70.
profile, fatty acids, erythrocytes, in buffalo, cattle, 983.
quail egg, stereospecific analysis, 707.
rabbit lung, intracellular transport, 606.
^{3}H-, radio-thin layer chromatography, 718.
rainbow trout liver, 523.
rat brain, fractionation, 757.
rat kidney, fatty acid profile, dietary *trans* fatty acids, 1032.
rat lung, and age, 541.
rat lung, fatty acids of, 634.
serum, iron deficient rats, 888.
stereospecific acylation, 529.
trout, 572.
phospholipid, determination, 492.
PHOSPHORUSOXYCHLORIDE, preparation, 88.
use in choline phospholipid synthesis, 88.
PHOSPHORYLCHOLINE, hepatic, measurement, 304.
levels in hepatic tissue, 304.
PHOTODENSITOMETRY, thin layer, yeast lipids, 937.
PHTHALATES, effect on lecithin-cholesterol acyltransferase, 533.
enzyme inhibition, 533.
Phytophthora cactorum, see Fungus.
PIG, brain lipid extraction, 590.
lung phosphatidylglycerol, 541.
PLACENTA, fatty acid desaturases, 822.
Placopecten magellanicus, see Scallop.
PLASMA, cat, fatty acid profile, dietary n-6 acids, 932.
cholesteryl ester fatty acids, 691.
human, effect of phthalates, 533.
intralipid apoprotein changes with incubation, 343.
lipid composition in hepatoma host, 323.
lipid-fatty acid profiles, rats with hepatoma, 781.
lipids in rats fed rapeseed oil, 614.
lipoproteins, effect of exercise in man, 417.
high density, 505.
man, incorporation of dietary eladic acid, 547.
normal lipid composition in rat, 323.
rabbit, lipoprotein response to diet, 566.
rat, cholesterol and diet, 676.
polyunsaturated FA content, linoleic acid-deficient rats, 166.
see Rat.
PLASMALOGENS, dog platelets, 469.
PC and PE in hepatoma host, 323.
phosphatidylethanolamine, see Phosphatidylethanolamine.
PLASMAPHERESIS, and synthesis of lipoprotein in rat, 695.
PLATELET AGGREGATION, evidence for effect of dietary fat on prostaglandin synthesis, 247.
PLATELET FUNCTION, prostaglandins from dihomo-γ-linolenic acid, 174.
PLATELETS, dog, lipid composition, 469.
effect of oral dihomo-γ-linolenic acid in man, 174.
enzyme systems for arachidonic acid conversion, 241.
man, incorporation of dietary elaidic acid, 547.
production of prostaglandin as indicator or essential fatty acid deficiency, 407.
POLYACRYLAMIDE GEL, SDS, apoproteins associated with intralipid, 343.
POPPY OIL, crude, sterol content, 285.
POTASSIUM, effect on linoleic acid absorption in rat intestine, 378.
POTASSIUM TRIIODIDE, choline and phosphorylcholine in, 304.
PREGNENOLONE, cholesterol as a product of side chain cleavage, 148.
PRIMATES, serum, lipoprotein response to diet, 559.
PROGESTRIN, effect on serum HDL, HDL_2 and HDL_3, 113.
PROSTAGLANDIN, A, analogs from linolenic acid, 734.
biosynthesis and release in rabbit heart and kidney, 236.
determination, 483.
dietary fats and biosynthesis, 247.
E, effect on smooth muscle proliferation in guinea pig, 194.
endoperoxide synthetase, pathway in platelets, 241.
F, effect on smooth muscle proliferation in guinea pig, 194.
in fatty acid-deficient rabbit brain, 79.

mass spectra, 483.
new, cyclooxygenase reaction in sheep microsomes, 334.
PGE_2, effect on guanylate cyclase activity, 212.
F_2, effect on guanylate cyclase activity, 212.
G_2, effect on guanylate cyclase activity, 212.
H_2, effect on guanylate cyclase activity, 212.
production in fatty acid deficient rats, 407.
radioimmunoassay, 194.
regulation of biosynthesis from sites in heart and kidney, 236.
synthesis from dihomo-γ-linoleic acid, 174.
PROSTAGLANDIN SYNTHETASE, inhibition by 5,8,11,14-eicosatetraenoic acid, 181.
PROTEIN, animal, effect on cholesterol and lipoprotein in rabbits, 566.
dietary prenatal depletion, fatty acid desaturase, 822.
and serum lipoprotein in primates, 559.
peroxidized diphosphatidylglycerol complex, 900.
rabbit lung, and intracellular transport of phospholipids, 606.
of rabbit plasma lipoprotein, and diet, 566.
vegetable, effect on cholesterol and lipoprotein in rabbits, 566.
PSEUDOCEOL, *M. hirudinaceus*, fatty acids of neutral lipids and phospholipids, 253.
PULSES, estrogenic effect on rats, 535.
hypocholesterolemic effect on rats, 535.
isoflavones in, 535.
4-PYRROLIDINOPYRIDINE, in cholesteryl ester syntheiss, 816.
PYRUVATE, incorporation into rat sciatic nerve lipids in vitro, 127.

Q

QUAIL, egg glycerolipids, stereospecific analysis, 707.

R

RABBIT, age and effect of dietary cholesterol, 566.
brain, see also Brain.
liver, phospholipid metabolism, 606.
lung, intracellular transport of phospholipids, 606.
phosphatidylglycerol, 541.
phospholipids, intracellular transport, 606.
plasma lipoprotein response to diet, 566.
RADIOIMMUNOASSAY, prostaglandins and fatty acids, 194.
RAPESEED OIL, dietary, induction of erucic acid chain shortening, rat liver, 829.
effect on cardiac lipid status, weanling pigs and rats, 356.
effect on fatty acid composition, 58.
fatty acids in, 356.
and lipids of rat heart and plasma, 614.
low erucic acid, cardiopathogenicity, rats, 773.
RAT, brain, see also Brain.
cholesterol absorption, 441.
epoxides in lung, 634.
development of 3-hydroxy-3-methyl-glutaryl coenzyme A reductase, 447.
epoxides in lung lipid, 634.
erucic acid metabolism in heart and plasma, 614.
morphology and effect of diet, 30.
glycerolipid and age, 463.
heart, fatty acid metabolism, 501.
heart, see also Heart.
intestine, see also Intestine.
isoflavone-induced hypocholesterolemia, 535.
jejunum, fatty acid absorption, 703.
liver, effect of dietary fat and cholesterol, 676.
lipoprotein synthesis in nephrosis, 695.
metabolism of octadecenoic isomers, 727.
phosphatidylinositol formation in, 529.
see also Liver.
lung, cholesterol epoxides, 634.
epoxides from autoxidized lipid, 634.
incorporation of ^{14}C-choline into phospholipids, 555.
phospholipids, and age, 541.
lymphatic fat transport, effect of enantiomeric lysophosphatidylcholine, 84.
muscle, see also Muscle.
obesity, 463.
phospholipid metabolism in heart and liver, 435.
plasma phospholipids, ratio of octadecenoate isomers in hepatoma-bearing cells, 70.
plasma VLDL-TG composition, effect of rapeseed and marine oils, 58.
sciatic nerve, see Sciatic nerve.
serum, transaminase and diet, 676.
RETINA, rat, polyunsaturated FA content, linoleic acid deficient rats, 166.
RETINOIC ACID, oxidation and isomerization, 714.
13-*cis*-, preparation, 714.
RICINOLEIC ACID, estolides from, 601.
effect of lecithin on jejunal absorption in man, 395.
RICINOLEATE MONOMERS, effect of lecithin on polyethylene disc absorption, 395.

S

Saccharomyces cerevisiae, see Yeast.
SAFFLOWER OIL, hydrogenated dietary, *cis,trans*-monoenes, rat tissue, 975.
oxidized, hydroxy esters, 961.
plasma cholesterol, gerbil, 1009.
thermally oxidized, chick nutritional encephalopathy, 768.
Salmo gairdneri, see Trout.
SARDINE, plant sterol content, viscera and flesh, 5.
SARINGOSTEROL, mycelial growth in fungus, 458.
SCANNING ELECTRON MICROSCOPE, see Electron microscope, scanning.
SCIATIC NERVE, rat, in vitro lipid synthesis, 127.
SEAWEED, octadecadienoic acids, 580.
SEBACEOUS GLANDS, effect of 5,8,11,14-eicosatetraynoic acid in man, 181.
SEBUM, effect of 5,8,11,14-eicosatetraynoic acid on production in man, 181.
SEMINAL VESICLES, sheep, prostaglandins, 483.
SERTOLI CELLS, isolation from rat testes, 262.
rat, lipid composition, 262.
SERUM LIPIDS, suckling, postweanling, iron deficient rat, 888.
see also Lipids.
lipoprotein in primates, 559.
monkey, effects of a fungal metabolite on lipids, 585.
rat, transaminase and diet, 676.
SHEEP, prostaglandins in seminal vesicles, 483.
SHELLFISH, N-3 fatty acid distribution and dietary requirements, 166.
SIALIC ACID, GLC determination, 52.
SILICA COLUMNS, HPLC, TG separation by chain length and unsaturation, 152.
SITOSTEROL, acylation, 478.
β-, chimera and sardine, analysis by MS, 5.
α-configuration in beech drops by NMR, 274.
content in poppy and sunflower seed oils, 285.
mycelial growth in fungus, 458.
SKIN, fish, triglycerides, wax esters, fatty acid profile, 804.
SMELT, plant sterol content, 5.
SODIUM, effect on linoleic acid absorption in rat intestine, 378.
SODIUM SULFATE, effect on guanylate cyclase activity, 212.
SOYBEAN, lipid extraction and analysis, 949.
SOYBEAN OIL, autoxidized, GC-MS, quantitation of hydroperoxides, 39.
cardiopathogenicity, rats, 773.
dietary, effect on prostaglandin biosynthesis, 247.
HPLC silica column separation, 152.
SPECTRA, infra-red, sterols of fungus, 663.
mass, [1-^{13}C], d_8, arachidonic acid derivatives, 819.
autoxidized soybean oil analysis, 39.
branched chain fatty acids, 953.
chemical ionization, yeast sterols, 876.
methyl 9-hydroxy-10-oxo-*cis*-12-octadecadienoate, 710.

methyl 9-hydroxy-10-oxo-*cis*-12,15-octadecadienoate, 710.
oxidation products of retinoic acid, 714.
oxidized fats, 961.
oxohydroxy fatty acids, 848.
prostaglandins, 483.
β-sitosterol, chimera liver, 5.
TMS sterols in poppy and sunflower oils, 285.
mass-gas liquid, linoleate hydroperoxidase isomerase analysis, 208.
^{13}C NMR, *Fevillea trilobata* oil, 966.
nuclear magnetic resonance, (NMR) erythro and threo-9,10-dihydroxystearates, 81.
12-hydroxy-*cis*- and *trans*-9-octadecenoates, 81.
monohydroxy and vicinal dihydroxy compounds, 81.
oxidation products of retinoic acid, 714.
12-oxo-*cis*-10-15-phytodienoic acid derivatives, 734.
sitosterol from beech drops, 274.
threo-12,13-dihydroxy-*cis*- and *trans*-octadecenoates, 81.
ultra-violet, oxidation products of retinoic acid, 714.
sterols, 687.
UV-visible, choline and phosphorylcholine analysis, 304.
SPECTROPHOTOMETRY, determination of nitrohydroperoxides, 748.
SPHINGOMYELIN, composition in normal and hepatoma host liver, 323.
dog platelets, 469.
fatty acids, buffalo and cattle erythrocytes, 983.
fatty acid profile, cytochrome P-450, 148.
in vitro incorporation of ^{14}C from leucine, isoleucine, and pyruvate, 127.
mitochondria and cytochrome P-450 content, 148.
rat erythrocyte, effect of diet on FA, 30.
SPLEEN, cellular guanylate cyclase stimulation, guniea pig, 212.
rat, *cis* and *trans* monoenes, dietary hydrogenated fat, 975.
monoenoic fatty acid isomers, 789.
polyunsaturated FA content, PE, linolenic acid-deficient rats, 166.
SPONGE, marine, triacontatetraenoic and triacontapentaenoic acids, 619.
SQUALENE, DEHP effect on incorporation of acetate and mevalonate in brain and liver of fetal rats, 372.
STEARIC ACID, comparative content in rat sertoli and germinal cells, 262.
incorporation into phosphatidylinositol, 529.
metabolism in copepod, 318.
^{14}C- STEAROYL-ACYL CARRIER PROTEIN, preparation and purification, 651.
STEAROYL-COA DESATURASE, activity in Novikoff hepatoma rats, 413.
^{14}C-STEAROYL-ACYL CARRIER PROTEIN DESATURASE, assay, 651.
STERCULIC ACID, inhibition of fatty acid desaturation, rat brain, 763.
^{14}C- metabolism in rainbow trout, 523.
STEREOCHEMISTRY, α-ketol formation in corn germ, 208.
STEREOSPECIFIC ANALYSIS, diacylglycerols from cockroach tissue lipases, 893.
STEREOSPECIFICITY, corn germ linoleic acid hydroperoxide isomerase, 208.
STERIC ACID, de novo synthesis, 451.
STEROL ESTER HYDROLASE, assay, bovine corpus luteum homogenates, 1.
C-AMP and ATM-MG^{2+} activation, 1.
STEROL ESTERS, fatty acid composition in poppy and sunflowerseed oils, 285.
formation, 478.
fungus, 663.
incorporation of *trans*-fatty acids in brain, 257.
yeast separation and identification, 741.
STEROL ISOMERASE, Δ 8→Δ 7, inhibition, yeast, 876.
STEROLOGENESIS, DEHP effect in fetal rats, 372.
STEROLS, as acyl acceptors, 478.
chromatography, high pressure liquid, 687.
composition in beech drops, 274.
free, composition in sunflower and poppy oils, 285.
incorporation of *trans*-fatty acids in brain, 257.
fungus, 663.
incorporation of acetate and mevalonate in brain and liver of fetal rats, DEHP effect, 372.
incorporation in vitro of ^{14}C from leucine, isoleucine, and pyruvate, 127.
metabolism in yeast, and hypocholesteremic compound, 741.
mycelial growth in fungus, 458.
neutral, fecal excretion in monkeys, 585.
plant, aquatic vertebrates, analysis by GLC-MS, 5.
TMS derivatives by GLC, 285.
ultraviolet spectra, 687.
in yeast mutant, isomerase blocked, 876.
yeast, separation and identification, 741.
STIGMASTEROL, acylation, 478.
content in sunflower and poppy seed oils, 285.
STROMAL CELLS, rat inguinal tissue, 669.
SUCROSE, dietary, and serum cholesterol, 559.
synergism with cholesterol in diet, 559.
SUNFLOWER SEED OIL, effect on cardiac lipid status in weanling pigs and rats, 356.
crude, sterol content, 285.
Ehrlich cells membrane fatty acids, 1003.
fatty acids in, 356.
SURFACE AREA, branched chain fatty acids, desaturation, 826.
SURFACE PRESSURE, branched chain fatty acids, desaturation, 826.
SURFACTANT, lung, 541.
SYNTHETASE, fatty acid, purification, 451.

T

TALLOW, beef, dietary, plasma cholesterol, gerbil, 1009.
TAUROCHOLATE, sodium, effect on linoleic acid absorption in rat intestine, 378.
TAUROCHOLIC ACID, effect on cholesterogenesis in chick liver and intestine, 386.
effect on cholesterol metabolism in chick liver and intestine, 386.
TERMINAL DESATURASE, addition, reconstitution of desaturase activity in microsomes, Novikoff hepatoma rats, 413.
TESTIS, rat, polyunsaturated FA content, linoleic acid deficient rats, 166.
human, fatty acid desaturation in, 498.
2-TETRADECYLGLYCIDIC ACID, inhibition of lipogenesis, 880.
5-(TETRADECYLOXY)-2-FUROIC ACID, inhibition of lipogenesis, 880.
THERMOGRAMS, for triglycerides in milk fat, 391.
THIOBARBITURIC ACID, lipid peroxides test, 401.
THIOCYANATE, serum, negative correlation with HDL change, 119.
THROMBOXANE B_2, effect in platelet arachidonate conversion, 241.
THROMBOXANE SYNTHASE, pathway in platelets, 241.
(2-^{14}C) THYMIDINE, metabolism, rat inguinal tissue, 669.
L-THYROXIN, effect on cholesterol absorption, 441.
TOCOPHEROL, determination, 644.
α- and Δ-, effect on linoleic acid autoxidation, 644.
TRANSAMINASE, rat serum, and diet, 676.
Trans-linoleic acid, see Fatty acids, *trans*.
TRIACYLGLYCEROLS, branched-chain fatty acids, Fallow deer, 350.
HPLC, separation by chain length and unsaturation, 452.
in vitro incorporation of ^{14}C from leucine, isoleucine and pyruvate, 127.
lymphatic, effect of enantiomeric lysophosphatidylcholine, 84.
reduction in plasma by progestrin, 113.
serum levels in children, 99.
VLDL, LDL, HDL, total serum levels in children, 91.
TRIACONTAPENTAENOIC ACID, marine sponge, 619.
marine sponge, 614.
TRIENOIC FATTY ACIDS, conjugated, *trans*, *Fevillea trilobata* oil, 966.

TRIGLYCERIDE LIPASE, cockroach tissues, 893.
TRIGLYCERIDES, cardiac tissue, effect of diet in piglets and rats, 356.
content in liver of normal and hepatoma host cells, 323.
content in plasma of normal and hepatoma host rats, 323.
effect of DEHP on incorporation of acetate, fetal rat brain and liver, 372.
effect of exercise in man, 417.
estolide, preparation, 601.
fish muscle, skin; copepods, fatty acid profile, 804.
of high density lipoproteins, 511.
iron deficient rats, serum, 888.
lamb, branched chain fatty acids, 953.
lipoprotein, fatty acids in type V hyperlipidemia, 691.
milk fat, effect on linoleic acid content, 391.
peanut oil, stereospecific structure, 630.
pools in rat liver, 829.
quail egg, stereospecific analysis, 707.
of rabbit plasma lipoprotein, and diet, 566.
rapeseed, soybean oils, cardiopathogenicity, 773.
rat, and aging, 463.
in rats fed erucic acid, 614.
rat kidney, fatty acid profile, dietary *trans* fatty acids, 1032.
rat lung, fatty acids of, 634.
rat tissues, *cis* and *trans* monoenes, dietary hydrogenated fats, 975.
separation by HPLC, 601.
tetra, penta, and hexacyl, prep and analysis, 601.
in whale melon and blubber fat, fatty acid profile, 872.
TRIACYLGLYCEROLS, comparative content in rat sertoli and germinal cells, 262.
fatty acid composition in rat sertoli and germinal cells, 262.
plasma incorporation of dihomo-γ-linolenic acid, 174.
VLDL-TG, effect of rapeseed oil and marine oil on composition, 58.
see Triglycerides.
TRIHEXOSYL CERAMIDE, human heart, fatty acid content, 9.
TRIMETHYLSILYL ETHER, derivative of carbohydrates, GLC analysis, 9.
TRIMETHYLSILYLETHER, sterol derivatives by GLC analysis, 285.
TRITIATION, phenyldodecane, 292.
TRITON X, effect on platelet arachidonate conversion, 241.
TROLOX C, effect on smooth muscle cell proliferation, 194.
TROUT, effect of linolenic acid as an essential fatty acid, 572.
rainbow, plant sterol content, 5.
sterculic acid metabolism, 523.
TWEEN 80, effect on linoleic acid absorption in rat intestine, 378.

U

ULTRACENTRIFUGATION, to analyze HDL, HDL_2 and HDL_3, 113.
lipoproteins, high density, 505.
ULTRAVIOLET SPECTRA, see Spectra, ultraviolet.
UREA ADDUCTION, isolation branched chain fatty acids, 953.
fractionation of thermally oxidized oils, 836.

V

VACCENIC ACID, in *B. coccineus* seed oil, 73.
metabolism, 501.
plasma phospholipids of hepatoma-bearing rats, 70.
VERTEBRATES, aquatic, plant sterol content, 5.
Vicia fabe L. var. minor cv. Diana, see Fababean.
VITAMIN A, oxidation products, 714.
VITAMIN D_3, for stimulant in PC deacylation-reacylation in rat intestine, 75.
VITAMIN E, deficiency, chick nutritional encephalopathy, 768.
deficiency, lipid peroxidation in vivo, 989.
effect on smooth muscle proliferation in guinea pig, 194.

W

WAX ESTERS, fish muscle, skin; copepods, fatty acid profile, 804.
in whale melon and blubber fat, fatty acid profile, 872.
WAXES, biosynthesis in developing jojoba seed, 651.
WHALE, sperm, plant sterol content, 5.

Y

YEAST, effect of hypocholesteremic compound on sterol metabolism, 741.
lipid, fatty acid profile, growth medium, 937.
lipid separation, 741.
mutant, isomerase blocked, sterols present, 876.
phospholipid desaturase, 159.

Z

ZINC, effect on phospholipase A activity, 718.
ZYMOSTEROL, yeast, 741.